

# Search Report

# STIC Database Marking Control (1995)

To: Kenneth Bartley Location: KNX 5B49

Art Unit: 3693 Date: 3/4/2010

Case Serial Number: 10/749,697

From: Christian Miner Location: EIC3600

**KNX 4B68** 

Phone: (571) 272-3010

christian.miner@uspto.gov

# Search votes

# Dear Examiner Bartley:

Please find attached the results of your search for the above-referenced case. The search was conducted in Dialog, Proquest, and EBSCOhost.

I have listed *potential* references of interest in the first part of the search results. However, please be sure to scan through the entire report. There may be additional references that you might find useful.

If you have any questions about the search, or need a refocus, please do not hesitate to contact me.

Thank you for using the EIC, and we look forward to your next search!



I.	POTENTIAL REFERENCES OF INTEREST	3
A.	Dialog	3
В.	Additional Resources Searched	12
II.	INVENTOR SEARCH RESULTS FROM DIALOG	13
III.	TEXT SEARCH RESULTS FROM DIALOG	16
A.	Full-Text Databases	16
IV.	TEXT SEARCH RESULTS FROM DIALOG	35
A.	Abstract Databases	35
٧.	ADDITIONAL RESOURCES SEARCHED	54

# I. Potential References of Interest

# A. Dialog

```
26/3K/1
DIALOG(R)File 348: EUROPEAN PATENTS
(c) 2010 European Patent Office. All rights reserved.
(Item 1 from file: 348)
02358959
```

Method and system of implementing recorded data for automating internet interactions

#### Patent Assignee:


- America Online, Inc. (2363220) 22000 AOL Way; Dulles, VA 20166
- (US) (Applicant designated States: all)

#### Inventor:

- Rawat, Jai
- 471 Acalanes Drive, Apt. 46; SunnyvaleCA 94087;
- (US
- \_
- Palnitkar, Samir
  - 471 Acalanes Drive 18; SunnyvaleCA 94086;
- (US)

#### Legal Representative:

- Gosnall, Toby (93801)
  - Barker Brettell 138 Hagley Road Edgbaston;
- Birmingham B16 9PW; (GB)



	Country	Number	Kind	Date	
Patent	EP	1852784	A2	20071107	(Basic)
Application	EP	2007003187		20010427	
Priorities	US	561449		20000428	

#### Designated States:

AT; BE; CH; CY; DE; DK;

ES; FI; FR; GB;

GR; IE; IT; LI; LU; MC; NL; PT; SE; TR

Related Parent Numbers: Patent (Application): EP

1279116 (EP 2001932653)

International Classification (Version 8) IPC	Level	Value	Position	Status	Version	Action	Source	Office
G06F-0017/24	Α	Ι	F	В	20060101	20071001	Н	EP
G06F-0017/30	A	Ι	L	В	20060101	20071001	Н	EP

Abstract Word Count: 74

NOTE:

Figure number on first page: 2

Language Publication:EnglishProcedural:EnglishApplication:English

Fulltext Availability Available Tex	t Language	Update	Word Count						
CLAIMS A	(English)	200745	1762						
SPEC A	(English)	200745	11447						
Total Word Count (Document A) 132	209								
Total Word Count (Document B) 0									
Total Word Count (All Documents) 1	3209								

**Specification:** ...example, as is illustrated in Fig. 2, the user need only login once, to the central server 299, during a particular Web browsing session; subsequent **form** filling and login **procedures** at various other sites require little or no interaction on the part of the user.

Data transmission interactions are represented by the arrows in Fig. 2. With respect to **form** filling or registration **procedures**, for example, the central server

4

299 may handle all data entry, completing forms automatically; the user need only review the information for accuracy and submit the completed form. With respect to subsequent login procedures for registered accounts at other Web servers such as 221-225, the...

```
26/3K/6 (Item 1 from file: 349)
DIALOG(R)File 349: PCT FULLTEXT
(c) 2010 WIPO/Thomson. All rights
reserved.
```

01116741

# SYSTEM AND METHOD FOR AUTOMATICALLY LAUNCHING AND ACCESSING NETWORK ADDRESSES AND APPLICATIONS

# Patent Applicant/Inventor:

- EXPERTON Bettina
  - 540 Tewa Street, Del Mar, CA 92014; US;
- US(Residence); US(Nationality)

#### Legal Representative:

- PEARCE Jeffrey (agent)
  - 34825 Sultan-Startup Road, Sultan, WA
- 98294; US

	Country	Number	Kind	Date
Patent	WO	200438563	A2-A3	20040506
Application	WO	2003US34012		20031024
Priorities	US	2002421622		20021025

#### Designated States:

```
(Protection type is "Patent" unless otherwise stated - for applications prior to 2004)
AT, AU, BG, BR, BY, CA, CH, CN, CZ, DE,
DK, EE, ES, FI,
GB, HU, IL, IN, JP, KR,
LT, LU, LV, MX, NO, NZ, PL, PT, RO, RU,
```

SK, TR, UA, US, ZA

SE, SG,

[EP] AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES;

```
FI; FR; GB; GR; HU; IE; IT; LU; MC; NL; PT; RO; SE; SI; SK; TR;
```

[EA] AM; AZ; BY; KG; KZ; MD; RU; TJ; TM;

**Language** Publication Language: English Filing Language: English Fulltext word count: 7131

#### Detailed Description:

...Resource Locators, that is, URLs, any access and authentication data required, etc.) are stored with or on the local computing device. In this embodiment, the automatic login feature may be performed by field detection, matching (or downloading of login information from a remote server or even from a locally stored file) and filling of data in the fields, and by automatically sending user entry events, e.g., the "Enter" keystroke or a computer mouse click.

26/3K/8 (Item 3 from file: 349) DIALOG(R)File 349: PCT FULLTEXT (c) 2010 WIPO/Thomson. All rights reserved.

01018992

#### DISTRIBUTED NETWORK IDENTITY

# Patent Applicant/Patent Assignee:

- SUN MICROSYSTEMS INC
  - 4120 Network Circle, MS SCA 12-203, Santa
- Clara, CA 95054; US; US(Residence); US(Nationality)

# Inventor(s):

- YARED Peter\*
- •

```
ELLISON Gary*
```

HAPNER MARK\*

ABRAHAMS Larry \*

FINKELSTEIN Shel \*

STERN Hal \*

BEATTY John D \*

RANGANTHAM Aravindan \*

ALLAVURPU Sai \*

# Legal Representative:

#### BROWN Richard E (agent)

Fenwick & West LLP, Two Palo Alto

Square, Palo Alto, CA 94306(et al); US

	Country	Number	Kind	Date
Patent	WO	200349000	A1	20030612
Application	WO	2002US38575		20021204
Priorities	US	2001337234		20011204
	US	2001339536		20011210
	US	2002365943		20020319

# Designated States:

(Protection type is "Patent" unless otherwise stated - for applications prior to 2004)

AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG,

BR, BY, BZ, CA,

CH, CN, CO, CR, CU, CZ,

DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD,

GE, GH,

GM, HR, HU, ID, IL, IN, IS, JP,

KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,

LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,

NO, NZ, OM, PH, PL, PT, RO, RU,

SD, SE,

SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA,

UG, UZ, VN, YU, ZA, ZM,

```
ZW
```

```
[EP] AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES;
FI; FR; GB;
GR; IE; IT; LU; MC; NL; PT;
SE; SI; SK; TR;

[OA] BF; BJ; CF;
CG; CI; CM; GA; GN; GQ; GW;
ML; MR; NE; SN; TD; TG;

[AP] GH;
GM; KE; LS; MW; MZ; SD; SL; SZ; TZ;
UG; ZM; ZW;

[EA] AM; AZ;
BY; KG; KZ; MD; RU; TJ; TM;
```

**Language** Publication Language: English Filing Language: English Fulltext word count: 13762

#### Claims:

The present invention may be embodied in many **different forms** and should not be construed as limited to the embodiments set forth herein. Rather these embodiments are provided so that this disclosure will be thorough... profile data at the identity provider securely stores commonly used personal information. In a merchant service provider example, the personal information can be used to **fill out** an order **form automatically. User** profile **data** can also include credit card and billing information (e.g., wallet services) that would facilitate express purchases. In a single sign-on environment, a user...

```
27/3,K/4 (Item 4 from file: 20) DIALOG(R)File 20: Dialog Global Reporter (c) 2010 Dialog. All rights reserved.
```

06069217 (USE FORMAT 7 OR 9 FOR

FULLTEXT)

Micro System Designs Launches Maxlock.com

Division to Increase Focus On Its Internet Browsing Tools and Computer Security Products

BUSINESS WIRE

July 06, 1999

Journal Code: WBWE

Language: English Record Type: FULLTEXT

Word Count:

651

# (USE

#### FORMAT 7 OR 9 FOR FULLTEXT)

...ZDNet as well as a five-star rating from ReviewNow.com.

--WebFormFill, which works seamlessly and securely with any Internet shopping site by analyzing each **form** and **automatically filling in user** shipping and billing **information**.

--Password Bank, which securely stores passwords and prints them out in a variety of convenient formats.

-- Device Control, a product that gives access to a...

**Dialog eLink:** Order File History 15/5/1 (Item 1 from file: 350)

DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0018785966 *Drawing available* WPI Acc no: 2009-F60922/200919

Electronic form processing method e.g. for purchase form, involves updating set of descriptors such that identifier corresponding to identified descriptor is included in set of identifiers

Patent Assignee: AGIS NETWORK INC (AGIS-N)

Inventor: ODONNELL S; O'DONNELL S

	Patent Family (1 patents, 1 countries)							
Patent Number	Patent Number Kind Date Application Number Kind Date Update Type							
US 7500178	В1	20090303	US 2003660950	A	20030911	200919 B		

Priority Applications (no., kind, date): US 2003660950 A 20030911

#### Alerting Abstract US B1

NOVELTY - An electronic form is displayed such that first value associated with first identifier is displayed in first field of form. A descriptor associated with a field that does not have a corresponding identifier in the set of identifiers, is identified. The set of descriptors is updated such that an identifier corresponding to the descriptor is included in the set of identifiers and second value is associated with identifier corresponding to the descriptor. The **user information** is updated such that third value entered in first field is associated with first identifier.

DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- 1. computer program product for processing electronic form; and
- 2. system for processing electronic form.

USE - Method for processing electronic form e.g. purchase form, credit card information form, etc.

ADVANTAGE - The **fields** of electronic form for a **user** can be filled automatically and the amount of information to be entered on electronic form by user can be reduced.

DESCRIPTION OF DRAWINGS - The drawing shows a flowchart explaining the process of displaying or rendering electronic form.

502 Step for receiving signal to display electronic form

504 Step for identifying electronic form to be displayed

506 Step for accessing information stored for electronic form

508 Step for determining field names associated with fields included in electronic form 512 **User information** accessing step

Title Terms /Index Terms/Additional Words: ELECTRONIC; FORM; PROCESS; METHOD; PURCHASE; UPDATE; SET; DESCRIBE; IDENTIFY; CORRESPOND

**Dialog eLink:** Order File History 15/5/5 (Item 5 from file: 350) DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0013242488 *Drawing available*WPI Acc no: 2003-327635/200331
Related WPI Acc No: 2001-536095
XRPX Acc No: N2003-261916

Online form filling method involves decoding location identifier, form location, user identifier at selective proxy server which requests online form from form-originating server for processing

Patent Assignee: INFOSPACE INC (INFO-N)

Inventor: MARKUS M A

Patent Family (1 patents, 1 countries)									
Patent Number	Kind	Date	Application Number	Kind	Date	Update Type			
US 6499042	В1	20021224	US 1998103379	P	19981007	200331 B			
			US 1999411478	Α	19991001				

Priority Applications (no., kind, date): US 1998103379 P 19981007; US 1999411478 A 19991001

# **Alerting Abstract US B1**

NOVELTY - The location identifier such as URL of a form-originating server, a form location and a user identifier received from a client, is decoded at a selective proxy server which requests the form-originating server to provide the online form. **Data** associated with **user** is inserted into the **fields** identified from the form by parsing the form, using user identifier after which the online form is transmitted to the client.

DESCRIPTION - INDEPENDENT CLAIMS are included for the following:

- 1. selective proxy server;
- 2. electronic form processing method;
- 3. computer readable medium storing electronic form processing program; and
- 4. computer system for processing electronic form.

# USE - For automatically filling in electronic form online with user's personal data.

ADVANTAGE - By using the selective proxy approach to fill in documents containing form elements, the documents forms are filled without the need for upgrading document browser and document server software modules, hence allows an entity to automatically **release** personal data to **other** entities connected through computer network.

DESCRIPTION OF DRAWINGS - The figure shows the sequence diagram of the software components in which the selective proxy form filling process is executed to accomplish a form autofill.

Title Terms /Index Terms/Additional Words: FORM; FILL; METHOD; DECODE; LOCATE; IDENTIFY; USER; SELECT; SERVE; REQUEST; ORIGIN; PROCESS

**Dialog eLink:** Order File History 15/5/13 (Item 13 from file: 350) DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0010999900 Drawing available WPI Acc no: 2001-625039/200172 XRPX Acc No: N2001-465799

InfoID portal development for dynamic sharing of personal and business information over computer network, involves generating home page where user logs into infoID portal with various links

Patent Assignee: GUAN F (GUAN-I)

Inventor: GUAN F

Patent Family (1 patents, 1 countries)									
Patent Number	Kind	Date	Application	Number	Kind	Date	Update T	ype	
US 20010027472	A1	20011004	US 2000192	722	P	20000327	200172 B		
			US 20002278	312	Р	20000825			
			US 20018178	375	A	20010326			

Priority Applications (no., kind, date): US 2000192722 P 20000327; US 2000227812 P 20000825; US 2001817875 A 20010326

Patent Details									
Patent Number Kind Lan Pgs Draw Filing Notes									
US 20010027472 A1 EN 13 3 Related to Provisional US 2000192722									
					Related to Provisional US 2000227812				

# **Alerting Abstract US A1**

NOVELTY - The method involves generating a home page where a user logs in to the infoID portal with various links to web pages that are relevant to the specific **dynamic** information **sharing** services and functions. A registration link among various links, allows the user to register with portal.

DESCRIPTION - Some of the **dynamic** information **sharing** services are personal information, E-business card, emergency information, instant electronic mail, pet ID, etc., and functions are search, view information, request status, access control, etc. INDEPENDENT CLAIMS are also included for the following:

- A. Computer system;
- B. Computer program;
- C. Desktop application developing method;
- D. Wireless hand-held device developing method

USE - For **dynamic sharing** of personal and business information over computer network such as **Internet**. ADVANTAGE - By operating a home page with various links, user is enabled to create or update the **information** and use the **information** multiple times without re-entering the data, hence **dynamic sharing** of current information is enabled. DESCRIPTION OF DRAWINGS - The figure shows the schematic block diagram of web site architecture.

Title Terms /Index Terms/Additional Words: PORTAL; DEVELOP; DYNAMIC; SHARE; PERSON; BUSINESS; INFORMATION; COMPUTER; NETWORK; GENERATE; HOME; PAGE; USER; LOG; VARIOUS; LINK

# B. Additional Resources Searched

Financial Times FullText (via ProQuest): No relevant results.

Internet & Personal Computing Abstracts (via EBSCOhost): No relevant results.

# II. Inventor Search Results from Dialog

Dialog eLink: Order File History 28/5/3 (Item 2 from file: 350)

DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0015155264 Drawing available WPI Acc no: 2005-504844/200551 XRPX Acc No: N2005-411955

Online application processing method for opening new financial account, involves transmitting shorter new account application with fewer fields than standard application to customer in response to customer existing indication Patent Assignee: BERLIN S K (BERL-I); BERTUCCI R L (BERT-I); GLENN G A (GLEN-I); KHANDROS Y (KHAN-I);

MIRANDA L (MIRA-I); OKERLUND R (OKER-I)

Inventor: BERLIN S K; BERTUCCI R L; GLENN G A; KHANDROS Y ; MIRANDA L; OKERLUND R

Patent Family (1 patents, 1 countries)								
Patent Number	Patent Number Kind Date Application Number Kind Date Update Type							
US 20050144101	A1	20050630	US 2003749697	A	20031231	200551 B		

Priority Applications (no., kind, date): US 2003749697 A 20031231

# Alerting Abstract US A1

NOVELTY - A standard new account application including a multiple of fields for entering personal identification and financial information of a customer, is transmitted to the customer from a financial institution. In response to an indication that the customer is an existing customer, a shorter new account application including a fewer number of fields than the standard application, is transmitted to the customer.

DESCRIPTION - An INDEPENDENT CLAIM is also included for an online account opening method.

USE - For processing online application for opening new financial account such as credit card account in financial institution. ADVANTAGE - Increases customer acquisitions without a need for increased solicitation and without increasing the possibility of fraud by those seeking to obtain a new account.

DESCRIPTION OF DRAWINGS - The figure shows the flowchart for the account opening process.

Title Terms /Index Terms/Additional Words: APPLY; PROCESS; METHOD; OPEN; NEW; FINANCIAL; ACCOUNT; TRANSMIT; SHORT; FIELD; STANDARD; CUSTOMER; RESPOND; EXIST; INDICATE

Dialog eLink: Order File History 28/5/4 (Item 3 from file: 350) DIALOG(R)File 350: Derwent WPIX (c) 2010 Thomson Reuters. All rights reserved.

0014363386 Drawing available WPI Acc no: 2004-552080/200453

Related WPI Acc No: 2003-147761; 2003-156276

XRPX Acc No: N2004-436751

E-acquisition system for multiple client product and service e.g. travel service, has worker utility invoked by handler to process event request, when dispatcher and handler receives event requests

Patent Assignee: BERLIN S (BERL-I); CHOW C (CHOW-I); DEMIRKAYA C (DEMI-I); GLENN G (GLEN-I);

KEJRIWAL M K (KEJR-I); STOXEN P (STOX-I)

Inventor: BERLIN S; CHOW C; DEMIRKAYA C; GLENN G; KEJRIWAL M K; STOXEN P

	Patent Family (1 patents, 1 countries)										
	Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type			
Ĩ	JS 20040133460	A1	20040708	US 2001268538	Р	20010213	200453	В			
				US 2001268656	P	20010214					
				US 200271615	A	20020205					
				US 2003718004	A	20031120					

Priority Applications (no., kind, date): US 2001268538 P 20010213; US 2001268656 P 20010214; US 200271615 A 20020205; US 2003718004 A 20031120

# **Alerting Abstract US A1**

NOVELTY - The system has a portal (150) accepting event request **data** from a **client** and a service **data** validation worker (123) validating the request. A service router (152) receives the request, routes it to a dispatcher (110) that hands it to a handler (120) which in turn invokes tasks-specific workers. A worker utility is invoked to process the request, when the dispatcher, and handler receive the request.

DESCRIPTION - The validation process done by the worker (123) are checking the syntax of the event request, checking the completeness of the event request and checking the address consistency of the event request. An INDEPENDENT CLAIM is also included for a computer-implemented acquisition method.

USE - Used for multiple client product service e.g. credit or charge card product, travel, cable, Internet, financial planning service, reward program, telephone, utility, online brokerage, saving and checking account service.

ADVANTAGE - The system facilitates global **data** validation for multiple **clients** by a task specific worker, thereby eliminating the need for each client to develop, operate and maintain a separate infrastructure. The service data validation worker facilitates data validation, which further facilitates decision and fulfillment.

DESCRIPTION OF DRAWINGS - The drawing shows a credit card application process.

100 Acquisition system

110 Dispatcher

123 Service data validation worker

150 Portal

152 Service router

**Title Terms** /Index Terms/Additional Words: ACQUIRE; SYSTEM; MULTIPLE; CLIENT; PRODUCT; SERVICE; TRAVEL; WORK; UTILISE; INVOKE; HANDLE; PROCESS; EVENT; REQUEST; DISPATCH; RECEIVE

**Dialog eLink:** Order File History 28/5/5 (Item 4 from file: 350) DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0010877174 Drawing available WPI Acc no: 2001-496876/200154

Web content management method of company wide Internet website, involves storing extensible markup language file containing relationships between objects and element comprising objects in global database

Patent Assignee: BIMSON A (BIMS-I); CHYUNG J (CHYU-I); GOPAKUMAR M (GOPA-I); KUNTE K (KUNT-I); MIRANDA L (MIRA-I); RAO S (RAOS-I); SARKAR B (SARK-I); AMERICAN EXPRESS TRAVEL RELATED SERVICES (AMXA)

Inventor: BIMSON A; BIMSON A S; CHYUNG J; CHYUNG J A; GOPAKUMAR M; KUNTE K; KUNTE K P; MIRANDA L; RAO S; RAO S A; SARKAR B

Patent Family (7 patents, 93 countries)							
Patent Number	Kind	Date	Application Number	Kind	Date	Update	Туре
WO 2001055910	A2	20010802	WO 2001US2524	A	20010125	200154	В
US 20010034748	<b>A</b> 1	20011025	US 2000178456	P	20000127	200170	Е
			US 2001769887	A	20010125		
AU 200134574	A	20010807	AU 200134574	A	20010125	200174	Е
TW 501034	A	20020901	TW 2001101705	A	20010411	200334	Е
AU 2001234574	A8	20051006	AU 2001234574	A	20010125	200612	E
US 7293230	В2	20071106	US 2000178456	P	20000127	200774	E
			US 2001769887	Α	20010125		
US 20080034285	A1	20080207	US 2000178456	P	20000127	200812	Е
			US 2001769887	A	20010125		
			US 2007871979	A	20071013		

Priority Applications (no., kind, date): US 2000178456 P 20000127; US 2001769887 A 20010125; US 2007871979 A 20071013

# **Alerting Abstract WO A2**

NOVELTY - A web content page having objects defining the web content is created. The relationships between objects on web content page and elements comprising objects is defined. An extensible markup language (XML) file incorporating the relationship definitions is generated and stored in a single database globally accessible by an user.

DESCRIPTION - An INDEPENDENT CLAIM is also included for web content managing system.

USE - For managing web content of company wide Internet website.

ADVANTAGE - By utilizing extensible markup language, the need of expanding the database to collect new data is avoided and the amount of data analysis while searching is reduced.

DESCRIPTION OF DRAWINGS - The figure shows the block diagram of the network architecture system using web content management.

**Title Terms** /Index Terms/Additional Words: WEB; CONTENT; MANAGEMENT; METHOD; COMPANY; WIDE; STORAGE; EXTEND; LANGUAGE; FILE; CONTAIN; RELATED; OBJECT; ELEMENT; COMPRISE; GLOBE; DATABASE

# III. Text Search Results from Dialog

#### A. Full-Text Databases

```
File 20:Dialog Global Reporter 1997-2010/Mar 04
         (c) 2010 Dialog
File 15:ABI/Inform(R) 1971-2010/Mar 03
         (c) 2010 ProQuest Info&Learning
File 610: Business Wire 1999-2010/Mar 04
         (c) 2010 Business Wire.
File 810:Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
File 613:PR Newswire 1999-2010/Mar 04
         (c) 2010 PR Newswire Association Inc
File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
File 634:San Jose Mercury Jun 1985-2010/Feb 28
         (c) 2010 San Jose Mercury News
File 624:McGraw-Hill Publications 1985-2010/Mar 03
         (c) 2010 McGraw-Hill Co. Inc
       9:Business & Industry(R) Jul/1994-2010/Mar 04
File
         (c) 2010 Gale/Cengage
File 275: Gale Group Computer DB(TM) 1983-2010/Jan 25
         (c) 2010 Gale/Cengage
File 621: Gale Group New Prod. Annou. (R) 1985-2010/Jan 14
         (c) 2010 Gale/Cengage
File 636: Gale Group Newsletter DB(TM) 1987-2010/Jan 29
         (c) 2010 Gale/Cengage
File 16:Gale Group PROMT(R) 1990-2010/Mar 04
         (c) 2010 Gale/Cengage
File 160:Gale Group PROMT(R) 1972-1989
         (c) 1999 The Gale Group
File 148: Gale Group Trade & Industry DB 1976-2010/Mar 04
         (c) 2010 Gale/Cengage
File 348:EUROPEAN PATENTS 1978-201009
         (c) 2010 European Patent Office
File 349:PCT FULLTEXT 1979-2010/UB=20100225|UT=20100218
         (c) 2010 WIPO/Thomson
```

Set Items Description

- S1 1731030 (AUTO OR AUTOMAT? OR INSTANT? OR DYNAMIC? OR IMMEDIAT? OR INTERACTIV? OR ON(1W)FLY OR (REAL OR ACTUAL)()TIME OR REALTIME OR SIMULTANEOUS?) (15N) (MATCH? OR IDENTIFY??? OR IDENTIFIE? OR RECOGNI? OR DISCERN??? OR DETECT??? OR FIND??? OR SEARCH? OR QUERY?)
- S2 151568 S1 (5N) (IDENTIFICATION? ? OR ID OR IDENTIFIER? ? OR ACCOUNT? ? OR NAME? ? OR NUMBER? ? OR KEYSTROKE? ? OR TERMINAL? ? OR COMPUTER? ? OR PC OR DESKTOP? ? OR WORKSTATION? ? OR (INTERNET()PROTOCOL OR IP OR NETWORK)()ADDRESS?? OR USERNAME? ? OR PASSWORD? ?)
- S3 30415 S2 (5N) (PURCHASER OR PURCHASERS OR BUYER OR BUYER OR CONSUMER OR CONSUMERS OR SUBSCRIBER OR SUBSCRIBERS OR CLIENT OR CLIENTS OR CUSTOMER OR CUSTOMER OR USERS OR MEMBER OR MEMBERS OR VISITOR OR VISITORS OR PERSON OR PEOPLE OR SHOPPER OR SHOPPERS OR APPLICANT OR APPLICANTS)

- 27107 (AUTO OR AUTOMAT? OR INSTANT? OR DYNAMIC? OR IMMEDIAT? OR INTERACTIV? OR ON(1W)FLY OR (REAL OR ACTUAL)()TIME OR REALTIME OR SIMULTANEOUS?)
  (5N) (EXPORT??? OR SEND??? OR TRANSFER? OR COPY??? OR COPIES OR TRANSMIT? OR CONVEY??? OR RELAY??? OR FORWARD??? OR FILL???()(IN OR OUT) OR COMPLET? OR FINISH? OR SHARE? ? OR SHARING)
- S5 62593 (PURCHASER OR PURCHASERS OR BUYER OR BUYER OR CONSUMER OR CONSUMERS OR SUBSCRIBER OR SUBSCRIBERS OR CLIENT OR CLIENTS OR CUSTOMER OR CUSTOMERS OR USER OR USERS OR MEMBER OR MEMBERS OR VISITOR OR VISITORS OR PERSON OR PEOPLE OR SHOPPER OR SHOPPERS OR APPLICANT OR APPLICANTS OR YOUR OR PAYMENT OR PERSONAL) (5N) (INFORMATION OR INFO OR DATA OR CONTENT? ? OR RECORD? ? OR FACT? ? OR FIELD? ?)
- S6 38790 (SECOND? OR PLURAL? OR SEPARATE OR DISCRETE OR DISTINCT OR ANOTHER OR DIFFERENT OR OTHER OR ADDITIONAL OR NEXT OR PROCED? OR PROCEED?) (3N) (APPLICATION? ? OR FORM? ? OR PAGE? ? OR WEBPAGE? ? OR DOCUMENT? ? OR ORDERFORM? ? OR HTML OR HYPER()TEXT()MARKUP()LANGUAGE OR FORMATTED(2N) (DISPLAY OR DISPLAYS))
- S7 432 AU=(KHANDROS, Y? OR KHANDROS Y? OR KHANDROS (1N) (Y OR YELENA) OR MIRANDA, L? OR MIRANDA L? OR MIRANDA (1N) (L OR LORRAINE) OR BERLIN, S? OR BERLIN S? OR BERLIN (1N) (S OR SUZANNE) OR OKERLUND, R? OR OKERLUND R? OR OKERLUND (1N) (R OR RANDY) OR BERTUCCI, R? OR BERTUCCI R? OR BERTUCCI (1N) (R OR RHONDA) OR GLENN, G? OR GLENN G? OR GLENN (1N) (G OR GREGORY))

```
S8
      247736
             IC=G06F
S9
        794 S4(N) S5
         45 S9 (5N) FIELD? ?
S10
S11
         23 S10 (S) (S1 OR S2 OR S3 OR S6)
S12
         16 S11 FROM 348,349
S13
         8 S12 NOT AY>2003
          7
            S11 NOT S12
S14
            RD (unique items)
S15
         5
S16
         92 S9 (5N) (FORM? ? OR APPLICATION? ?)
        87 S16 NOT (S13 OR S15)
S17
        65 S17 FROM 348,349
S18
S19
        45 S18 NOT AY>2003
        18 S19 (S) (S1 OR S2 OR S3 OR S6)
S20
        22 S17 NOT S18
S21
         22 S21 NOT PY>2003
S22
S23
        10 RD (unique items)
        0 S23 (S) (S1 OR S2 OR S3 OR S6)
S24
S25
         0 S7 AND S9
        26 S13 OR S20
S26
        15 S15 OR S23
S27
```

# Dialog

eLink: Order File History

DIALOG(R) File 348: EUROPEAN

PATENTS

(c) 2010 European Patent Office. All rights reserved.

26/3K/5

(Item 5 from file: 348)

00815688

#### METHOD AND APPARATUS FOR ROUTING CONFIDENTIAL

#### INFORMATION

METHODE UND SYSTEM FUR DIE

LEITWEGLENKUNG VERTRAULICHER INFORMATION DISPOSITIF

ET PROCEDE D'ACHEMINEMENT D'INFORMATIONS CONFIDENTIELLES

# Patent Assignee:

- Wink Communications, Inc. (2233230) 1001 Marina Village Parkway;
- Alameda, CA 94501 (US) (Proprietor designated states: all)

#### Inventor:

- DOUGHERTY, Brian, P.
- 122 Lawrence Road; Alameda, CA 94502;
- (US)
- \_
- DEL SESTO, Eric, E.

1082 Armitage Street; Alameda, CA 94502;

• (US)

# Legal Representative:

• Liesegang, Roland, Dr.-Ing. (7741)

FORRESTER & BOEHMERT

• Pettenkoferstrasse 20-22; 80336 Munchen; (DE)

	Country	Number	Kind	Date	
Patent	EP	823181	A1	19980211	(Basic)
	EP	823181	В1	20020724	
	WO	9634494		19961031	
Application	EP	96911675		19960409	
	WO	96US4904		19960409	
Priorities	US	429109		19950426	

# Designated States:

DE; FR;

GB

International Patent Class (V7): H04N-007/173

NOTE: No

A-document published by EPO

Language Publication:EnglishProcedural:EnglishApplication:English

Fulltext Availability Available	Text Language	Update Word Coun
CLAIMS B	(English)	200230 947
CLAIMS B	(German)	200230 867
CLAIMS B	(French)	200230 1069
SPEC B	(English)	200230 13969
Total Word Count (Document A	<b>A)</b> 0	
Total Word Count (Document E	3) 16852	
Total Word Count (All Docume	nts) 16852	

Specification: ... to be communicated to a proper vendor via an interactive information system without requiring the user to send confidential information over unsecure communication lines. An interactive information system application is assigned an application identifier which is transmitted to the user with the interactive information system application. The application identifier is sent to a response collector, which performs the function described below, along with routing information to describe the routing of responses to a vendor who will process them. A user may be assigned one or more identifiers, one corresponding to the user equipment used to send and receive interactive information, and another identifier to allow the **identification** of a specific individual if more than one individual will use the user equipment. These identifiers and other information, including confidential information such as a... ... are provided to a response collector for use as described below. If desired, the response collector may verify the information, such as ensuring that the user's stated address matches the credit card billing address. An interactive information system application containing the application identifier is broadcast to the user. To submit a response such as an order using the **interactive** information system application, the **user** instructs the interactive information system to transmit the application identifier, one or more user identifiers and other response information such as model number and quantity to a response collector over a communication line. Because no confidential information is sent, inexpensive... ... The response collector assembles the user's information including confidential information and sends it to the vendor via the routing information associated with the application identifier. Because only the application identifier is sent to the user, the system is compatible with lowbandwidth transports, yet automatically routes user responses to a vendor for processing. Some responses do not include the user identifiers to allow users to send anonymous responses via the interactive information system. A Brief Description of the Drawings

# Dialog

eLink: Order File History
26/3K/11 (Item 6 from file: 349)

DIALOG(R)File 349: PCT FULLTEXT (c) 2010 WIPO/Thomson. All rights reserved.

00880926

#### ACCESSING LEGACY APPLICATIONS FROM THE

#### INTERNET

ACCES A DES APPLICATIONS PARTAGEES SUR

L'INTERNET

Patent Applicant/Patent Assignee:

#### • INTERNATIONAL BUSINESS MACHINES CORPORATION

New Orchard Road,

Armonk, NY 10504; US; US(Residence); US(Nationality)

•

#### • IBM UNITED KINGDOM LIMITED

P.O. Box 41, North Harbour,

- Portsmouth, Hampshire PO6 3AU; GB; GB(Residence); GB(Nationality);
   (Designated
- only for: MG)

#### Inventor(s):

#### • GUNGABEESOON Satish

91 Spring Blossom Crescent, Markham, Ontario

• L6C 1X4; CA

# Legal Representative:

# • WALDNER Philip (agent)

IBM United Kingdom Limited, Intellectual

• Property Law, Hursley Park, Winchester, Hampshire SO21 2JN; GB

	Country	Number	Kind	Date
Patent	WO	200215006	<b>A</b> 1	20020221
Application	WO	2001GB3315		20010723
Priorities	CA	2316003		20000814

## Designated States:

```
(Protection type is "Patent" unless otherwise stated - for applications
prior to 2004)
AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG,
BR, BY, BZ, CA,
CH, CN, CO, CR, CU, CZ,
DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD,
GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP,
KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,
LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE,
SG, SI,
SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ,
VN, YU, ZA,
ZW
[EP] AT; BE; CH; CY; DE; DK; ES; FI; FR; GB;
GR; IE; IT;
LU; MC; NL; PT; SE; TR;
[OA] BF; BJ; CF; CG; CI; CM; GA; GN; GQ;
ML; MR; NE; SN; TD; TG;
[AP] GH; GM; KE; LS; MW; MZ; SD;
SL; SZ; TZ;
UG; ZW;
[EA] AM; AZ; BY; KG; KZ; MD; RU; TJ; TM;
```

**Language** Publication Language: English Filing Language: English Fulltext word count: 7537

#### Detailed Description:

...viewed as a method for executing a computer application installed on a computer, comprising the steps of converting a plurality of display files of the application to a plurality of XML-based network pages capable of displaying the application's dynamic data; creating a servlet instance in a server connected to the computer on....in the computer for the application's dynamic data; creating an endpoint connection between the servlet instance and a network publishing component on the computer; transmittingthe dynamic data back and forth from the client to the application throughthe servlet instance; creating data objects and populating the dataobjects with the dynamic data; updating at least one network page using the data....to the client over the Internet; and transmitting network pages having responsive data from the

client to server for transmission as input data to the application.

Yet, **another** aspect of the invention is a method of interacting with a computer application, comprising: executing a legacy computer application in its native environment; redirecting I...

#### Dialog

eLink: Order File History
26/3K/19 (Item 14 from file: 349)

DIALOG(R)File 349: PCT FULLTEXT (c) 2010 WIPO/Thomson. All rights reserved.

00784134

#### A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A

#### CONSTANT CLASS COMPONENT IN A BUSINESS LOGIC SERVICES PATTERNS

#### ENVIRONMENT

SYSTEME, PROCEDE ET ARTICLE

MANUFACTURE UN COMPOSANT DE CLASSE DE CONSTANTE DANS UN ENVIRONNEMENT DE SCHEMAS
DE SERVICES DE LOGIQUE D'AFFAIRES

#### Patent Applicant/Patent Assignee:

- ACCENTURE LLP
  - 1661 Page Mill Road, Palo Alto, CA 94304; US;
- US(Residence); US(Nationality)

# Inventor(s):

• BOWMAN-AMUAH Michel K 6426 Peak Vista Circle, Colorado Springs, CO 80918; US

# Legal Representative:

- HICKMAN Paul L (agent) Oppenheimer Wolff & Donnelly LLP,
- Suite 3800, 2029 Century Park East, Los Angeles, CA 90067-3024; US

	Country	Number	Kind	Date
Patent	WO	200116726	A2-A3	20010308
Application	WO	2000US24188		20000831
Priorities	US	99387213		19990831

```
Designated States:
(Protection type is "Patent" unless otherwise stated - for applications
prior to 2004)
AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY,
CA, CH, CN, CU,
CZ, DE, DK, EE, ES, FI,
GB, GE, GH, GM, HR, HU, ID, IL, IS, JP,
KE, KG,
KP, KR, KZ, LC, LK, LR, LS, LT,
LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ,
PL, PT, RO, RU, SD, SE, SG, SI, SK, SL,
TJ, TM, TR, TT, UA, UG, UZ, VN,
YU, ZW
[EP] AT; BE; CH; CY; DE; DK; ES; FI; FR; GB;
GR; IE;
IT; LU; MC; NL; PT; SE;
[OA] BF; BJ; CF; CG; CI; CM; GA; GN; GW;
MR; NE; SN; TD; TG;
[AP] GH; GM; KE; LS; MW; MZ; SD; SL;
```

```
SZ; TZ;
UG; ZW;
```

[EA] AM; AZ; BY; KG; KZ; MD; RU; TJ; TM;

**Language** Publication Language: English Filing Language: English Fulltext word count: 150446

#### Detailed Description:

...such as range or format checks.

Mapping Support - eliminate the need for applications to communicate directly with the windowing system; rather, applications retrieve or display **data** by **automatically copying** the **contents** of a window's **fields** to a copybook structure in memory. These Services may also be used to automate the merging of application data with pre-defined electronic form templates...represent the most stable elements of the business, while process-centric Business Components represent the most volatile.

Encapsulating and separating these elements contributes to the **application**'s overall maintainability.

To manage the complexity of a large problem, it must be divided into smaller, coherent parts.

Partitioned Business Components provide an excellent...

## Dialog

eLink: Order File History
26/3K/25 (Item 20 from file: 349)

DIALOG(R)File 349: PCT FULLTEXT (c) 2010 WIPO/Thomson. All rights reserved.

00351981

## METHOD AND APPARATUS FOR ROUTING CONFIDENTIAL INFORMATION

DISPOSITIF ET PROCEDE

D'ACHEMINEMENT D'INFORMATIONS CONFIDENTIELLES

# Patent Applicant/Patent Assignee:

#### WINK COMMUNICATIONS INC

# Inventor(s):

- DOUGHERTY Brian P
- DEL SESTO Eric E

	Country	Number	Kind	Date
Patent	WO	9634494	<b>A</b> 1	19961031
Application	WO	96US4904		19960409
Priorities	US	95429109		19950426

# Designated States:

```
(Protection type is "Patent" unless otherwise stated - for applications
prior to 2004)
AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA,
CH, CN, CZ, DE,
DK, EE, ES, FI, GB, GE,
HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR,
```

- LS, LT,
- LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
- SK, TJ, TM, TR, TT, UA, UG, UZ, VN, KE,
- LS, MW, SD, SZ, UG, AM, AZ, BY,
- KG, KZ,
- MD, RU, TJ, TM, AT, BE, CH, DE, DK, ES,
- FI, FR, GB, GR, IE, IT,
- LU, MC, NL, PT,
- SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML,
- MR, NE, SN, TD,

**Language** Publication Language: English Fulltext word count: 13931

#### Detailed Description:

...to be communicated to a proper vendor via an interactive information system without requiring the user to send confidential information over unsecure communication lines.

An interactive information system application is assigned an application identifier which is transmitted to the user with the interactive information system application. The application identifier is sent to a response collector, which performs the function described below, along with routing information to describe the routing of responses to a vendor who will process them, A user may be assigned one or more identifiers, one corresponding to the user equipment used to send and receive interactive information, and another identifier to allow the identification of a specific individual if more than one individual will use the user equipment. These identifiers and other information, including confidential information such as a....collector via an interactive information system for use as described below. If desired, the response collector may verify the information, such as ensuring that the user's stated address matches the credit card billing address.

An interactive information system application containing the application identifier is broadcast to the user. To submit a response such as an order using the interactive information system application, the user instructs the interactive information system to transmit the application identifier, one or more user identifiers and other response information such as model number and quantity to a response collector over a communication line. Because no confidential information is sent, inexpensive.....The response collector assembles the user's information including confidential information and sends it to the vendor via the routing information associated with the application identifier. Because only the application identifier is sent to the user, the system is compatible with low-bandwidth transports, yet automatically routes user responses to a vendor for processing. Some responses do not include the user identifiers to allow users to send anonymous responses via the interactive information system.

27/3,K/1 (Item 1 from file: 20) DIALOG(R)File 20: Dialog Global Reporter (c) 2010 Dialog. All rights reserved.

42842953 (USE FORMAT 7 OR 9 FOR FULLTEXT)
PSO inaugurates online maintenance system

#### BUSINESS RECORDER

June 11, 2005

Journal Code: WBRE

Language: English Record Type: FULLTEXT

Word Count:

143

\_

...system. The system has been developed by ZAQSoft Private Limited. The Executive Director Customer Services PSO, Kalim Ahmed Siddiqui inaugurated the system. The structure combines **customer** relationship management with **field automation** to offer a **complete** online fault **detection**, diagnosis, and resolution system.

As soon as a PSO outlet complaint is received on the toll-free number, the number is recognised by the system...

27/3,K/2 (Item 2 from file: 20) DIALOG(R)File 20: Dialog Global Reporter (c) 2010 Dialog. All rights reserved.

08506215 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Insight Ships French Version of Zip Up The Web(TM) Pro

PR NEWSWIRE

December 02, 1999

Journal Code: WPRW

Language: English Record Type: FULLTEXT

Word Count:

 $8\,4\,4$ 

\_

...that can be archived and/or emailed. When emailing, Zip Up The Web Pro automatically attaches the .exe file to the users default MAPI email application. Internet users can share current information instantly. An exact Web page or an entire site can be sent to a co-worker, friend or family member for off line viewing instead of...

27/3,K/3 (Item 3 from file: 20) DIALOG(R)File 20: Dialog

```
Global Reporter
(c) 2010 Dialog. All rights
reserved.
```

08152755 (USE FORMAT 7 OR 9 FOR

FULLTEXT)

SBT and WorkWise Deliver Business Robot

PR NEWSWIRE

November 09, 1999 Journal Code: WPRW

Language: English Record Type: FULLTEXT

Word Count:

550

#### (USE

# FORMAT 7 OR 9 FOR FULLTEXT)

...to and extension of SBT Executive Series," said Frank Klenner, president and CEO of Micro Accounting Systems, a leading SBT Value Added Reseller (VAR). "My clients want their critical business information shared automatically with the right people and the right applications within the organization. WorkWise DAS makes this happen."

Distribution and Pricing SBT software is sold exclusively through an authorized channel of VARs. WorkWise software is...

27/3, K/5 (Item 1 from file: 15) DIALOG(R) File 15: ABI/Inform(R) (c) 2010 ProQuest Info&Learning. All rights reserved.

03104352 1082361541

# Using Ajax to Empower Dynamic Searching

Wusteman, Judith; O'hlceadha, Padraig

Information Technology & Libraries v25n2 pp: 57-64

Jun 2006

## ISSN:

0730-9295 Journal Code: JLA

Word Count:

5202

# Text:

...reduced level of investment that users must make before they achieve any return from the system should encourage them to experiment, hence promoting enactive learning.

#### \* Auto-completion

In order to provide **instant** feedback to the **user**, the **search**-terms field and the subject field use Ajax to **auto**-complete **user** entries. Figure 3 illustrates the result of typing Smith in the **search**-terms field. A list is **automatically** dropped down that itemizes all **matches** and the **number** of their occurrences. **Users** select the term they want, the entire field is **automatically** completed, and a **search** is triggered.

The ARC system denormalizes some of the harvested data before saving them in its database. For example, it merges all the author fields...

27/3,K/6 (Item 2 from file: 15)
DIALOG(R)File 15:
ABI/Inform(R)
(c) 2010 ProQuest Info&Learning. All rights reserved.

00621466 92-36568

#### Network and System Automation and Remote System Operation

Irlbeck, B. William

IBM Systems Journal
v31n2 pp: 206-222

1992

ISSN: 0018-8670 Journal Code:

ISY

Word Count: 7330

Text:

 $\dots$ that receives structured data records across the MS transport and ensures that they are scanned against the NetView automation table for possible automation. The generic **automation** receiver enables a

user to send data from an application in a

local or remote node to NetView automation without creating a specific receiving application. This ability eliminates the need to explicitly develop a program...

27/3,K/7 (Item 1 from file: 810)
DIALOG(R)File 810:
Business Wire
(c) 1999 Business Wire . All rights reserved.

0350030 BW724

#### FUJITSU:

Fujitsu DeskTop Conferencing provides real-time conferencing for Lotus Notes users; Fujitsu Networks Industry becomes Lotus Notes professional developer

August 9, 1993

Byline: Business Editors and Computer

...Lotus Notes.

The combination of Fujitsu DeskTop Conferencing and Lotus Notes delivers a sophisticated workgroup computing solution that enables workgroups to conduct long-distance meetings, **share** business **applications**, and present **information simultaneously**.

DeskTop Conferencing enables **users** to **share** any screen, Windows-based information or applications in real-time as if they were sitting in the same room. Multiple users may participate in a...

27/3,K/8 (Item 1 from file: 9)
DIALOG(R)File 9: Business
& Industry(R)
(c) 2010 Gale/Cengage. All rights reserved.

03668819

Supplier Number: 132971225 (USE FORMAT 7 OR 9

FOR FULLTEXT)

EXPERIAN ADDS QUICKADDRESS TO DATA MANAGEMENT SYSTEM.

CardLine , v 5 , n 22 , p 1
June 03, 2005

Document Type: Electronic

Journal; News Brief (United States)

Language: English
Record Type: Fulltext

Word Count: 157

#### TEXT:

...firms capture accurate customer information by saving keystrokes and preventing data errors as call center agents enter the information. The software uses a proprietary address **searching** mechanism that validates **names** and addresses and **fills in data** 

fields automatically. Once a customer's

information is accurately entered into a database, Experian's Data
Management software provides continuous updating and maintenance of the
information, Experian says. The software also provides...

```
27/3, K/9 (Item 2 from file: 9)
DIALOG(R) File 9: Business
& Industry(R)
(c) 2010 Gale/Cengage. All rights reserved.
00807352
Supplier Number: 23358306 (USE FORMAT 7 OR 9
FOR FULLTEXT)
Amoco Refines 'Pets' Project
( Amoco develops Project Evaluation Tool Set (Pets) to perform preliminary
engineering and design, cost estimation, economic evaluation, project scheduling,
and risk analysis )
Information Week , n
555 , p 44+
November 27, 1995
Document Type:
Journal ISSN: 8750-6874 (United States)
Language: English Record Type: Fulltext
Word
Count: 1185 (USE FORMAT 7 OR 9 FOR
FULLTEXT)
TEXT:
...displaying geographic information.
At The Heart
Perhaps the most critical piece of Pets is the object-oriented middleware
code developed by Technomation. The middleware allows users to
instantly share information across the network and
between applications. "The applications are so customized, you can't
see the boundaries between them" says Mike Brule, president of
Technomation.
MapInfo, for instance, serves as the...
27/3,K/11 (Item 1 from file: 636)
DIALOG(R) File 636: Gale
Group Newsletter DB(TM)
(c) 2010 Gale/Cengage. All rights
reserved.
06037592
            Supplier Number:
132971225 (USE FORMAT 7 FOR FULLTEXT)
```

EXPERIAN ADDS QUICKADDRESS TO DATA MANAGEMENT SYSTEM. (Brief

```
Article)
```

Cardline, v 5, n 22, p 1

June 3 , 2005

Language:

English Record Type: Fulltext

Article Type: Brief Article

Document Type: Newsletter ; Trade

Word Count: 172

Supplier Number:

(USE FORMAT 7 FOR FULLTEXT)

#### Text:

...firms capture accurate customer information by saving keystrokes and preventing data errors as call center agents enter the information. The software uses a proprietary address **searching** mechanism that validates **names** and addresses and **fills in data** 

fields automatically. Once a customer's

information is accurately entered into a database, Experian's Data
Management software provides continuous updating and maintenance of the
information, Experian says. The software also provides...

27/3,K/13 (Item 2 from file: 16)
DIALOG(R)File 16: Gale
Group PROMT(R)
(c) 2010 Gale/Cengage. All rights reserved.

02767554

Supplier Number: 43710510 (USE FORMAT 7 FOR FULLTEXT)

Products Let Users Replace 3270s With Workstations

CommunicationsWeek, p 18
March 15, 1993

Language:

English Record Type: Fulltext

Document Type:
Newsletter; Trade
Word Count: 620

\_

...LANs, and will ship in May.

The new software will let users replace multiple single-purpose terminals with a single unit that can access multiple applications simultaneously, letting users easily share information, said Stephen King, director of marketing and engineering at the company. Tektronix's TekXpress terminals can also be less expensive than 3270 or 3179G terminals...

27/3,K/15 (Item 2 from file: 148)
DIALOG(R)File 148: Gale
Group Trade & Industry DB
(c) 2010 Gale/Cengage. All rights
reserved.

06441558 Supplier Number:
13677874 (USE FORMAT 7 OR 9 FOR FULL TEXT )

# A personal trek into the world of wireless data.

Stargardt, W. Wayne

Business Communications Review , v23 , n4 , p49(4) April , 1993 ISSN: 0162-3885

Language: ENGLISH

Record Type: FULLTEXT; ABSTRACT

Word Count: 2854 Line

Count: 00240

...environment. To minimize the data sent over the radio link, the application should send flags, codes and preformatted data rather than English-language character streams.

Applications should send dynamic data to a mobile user workstation that can interpret the coded data and manage the user interface locally with predefined screens. This implies an intelligent workstation for the mobile user...

# IV. Text Search Results from Dialog

#### A. Abstract Databases

File 35:Dissertation Abs Online 1861-2010/Jan (c) 2010 ProQuest Info&Learning File 474: New York Times Abs 1969-2010/Mar 04 (c) 2010 The New York Times File 475: Wall Street Journal Abs 1973-2010/Mar 04 (c) 2010 The New York Times File 583: Gale Group Globalbase (TM) 1986-2002/Dec 13 (c) 2002 Gale/Cengage File 65:Inside Conferences 1993-2010/Mar 04 (c) 2010 BLDSC all rts. reserv. File 99: Wilson Appl. Sci & Tech Abs 1983-2010/Dec (c) 2010 The HW Wilson Co. 2:INSPEC 1898-2010/Feb W3 File (c) 2010 The IET File 256:TecTrends 1982-2010/Feb W4 (c) 2010 Info.Sources Inc. All rights res. File 350: Derwent WPIX 1963-2010/UD=201014 (c) 2010 Thomson Reuters File 347: JAPIO Dec 1976-2009/Nov(Updated 100228)

(c) 2010 JPO & JAPIO

- Set Items Description
  S1 548104 (AUTO OR AUTOMAT? OR INSTANT? OR DYNAMIC? OR IMMEDIAT? OR
  INTERACTIV? OR ON(1W)FLY OR (REAL OR ACTUAL)()TIME OR REALTIME OR SIMULTANEOUS?)
  (15N) (MATCH? OR IDENTIFY??? OR IDENTIFIE? OR RECOGNI? OR DISCERN??? OR DETECT???
  OR FIND??? OR SEARCH? OR QUERY?)
- S2 53396 S1 (5N) (IDENTIFICATION? ? OR ID OR IDENTIFIER? ? OR ACCOUNT? ? OR NAME? ? OR NUMBER? ? OR KEYSTROKE? ? OR TERMINAL? ? OR COMPUTER? ? OR PC OR DESKTOP? ? OR WORKSTATION? ? OR (INTERNET()PROTOCOL OR IP OR NETWORK)()ADDRESS?? OR USERNAME? ? OR PASSWORD? ?)
- S3 6372 S2 (5N) (PURCHASER OR PURCHASERS OR BUYER OR BUYER OR CONSUMER OR CONSUMERS OR SUBSCRIBER OR SUBSCRIBERS OR CLIENT OR CLIENTS OR CUSTOMER OR CUSTOMER OR USERS OR MEMBER OR MEMBERS OR VISITOR OR VISITORS OR PERSON OR PEOPLE OR SHOPPER OR SHOPPERS OR APPLICANT OR APPLICANTS)
- 269827 (AUTO OR AUTOMAT? OR INSTANT? OR DYNAMIC? OR IMMEDIAT? OR INTERACTIV? OR ON(1W)FLY OR (REAL OR ACTUAL)()TIME OR REALTIME OR SIMULTANEOUS?) (5N) (EXPORT??? OR SEND??? OR TRANSFER? OR COPY??? OR COPIES OR TRANSMIT? OR CONVEY??? OR RELAY??? OR FORWARD??? OR FILL???()(IN OR OUT) OR COMPLET? OR FINISH? OR SHARE? ? OR SHARING)
- S5 669476 (PURCHASER OR PURCHASERS OR BUYER OR BUYER OR CONSUMER OR CONSUMERS OR SUBSCRIBER OR SUBSCRIBERS OR CLIENT OR CLIENTS OR CUSTOMER OR CUSTOMERS OR USER OR USERS OR MEMBER OR MEMBERS OR VISITOR OR VISITORS OR PERSON OR PEOPLE OR SHOPPER OR SHOPPERS OR APPLICANT OR APPLICANTS) (5N) (INFORMATION OR INFO OR DATA OR CONTENT? ? OR RECORD? ? OR FACT? ? OR FIELD? ?)

- S6 656111 (SECOND? OR PLURAL? OR SEPARATE OR DISCRETE OR DISTINCT OR ANOTHER OR DIFFERENT OR OTHER OR ADDITIONAL OR NEXT OR PROCED? OR PROCEED?) (3N)
  (APPLICATION? ? OR FORM? ? OR PAGE? ? OR WEBPAGE? ? OR DOCUMENT? ? OR ORDERFORM? ?
  OR HTML OR HYPER()TEXT()MARKUP()LANGUAGE OR FORMATTED(2N)(DISPLAY OR DISPLAYS))
- 998 AU=(KHANDROS, Y? OR KHANDROS Y? OR KHANDROS (1N) (Y OR YELENA) OR MIRANDA, L? OR MIRANDA L? OR MIRANDA (1N) (L OR LORRAINE) OR BERLIN, S? OR BERLIN (1N) (S OR SUZANNE) OR OKERLUND, R? OR OKERLUND R? OR OKERLUND (1N) (R OR RANDY) OR BERTUCCI, R? OR BERTUCCI R? OR BERTUCCI (1N) (R OR RHONDA) OR GLENN, G? OR GLENN G? OR GLENN (1N) (G OR GREGORY))

S8	1649943	IC=G06F
S9	1244	S3 AND S4
S10	836	S9 AND S5
S11	84	S10 AND S6
S12	84	S11 FROM 350,347
S13	43	S12 NOT AY>2003
S14	4957	S4 (5N) S5
S15	17	S13 AND S14
S16	322	S10 AND S14
S17	320	S16 FROM 350,347
S18	2	S16 NOT S17
S19	5745	S2 AND S4
S20	1558	S19 AND S5
S21	1536	S20 FROM 350,347
S22	22	S20 NOT S21
S23	20	S22 NOT S18
S24	20	RD (unique items)
S25	13	S24 NOT PY>2003
S26	0	S7 AND S4
S27	998	S7 AND S7
S28	5	S27 AND S5

Dialog eLink: Order File History 15/5/2 (Item 2 from file: 350)

DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0016069124 Drawing available WPI Acc no: 2006-600755/200662

Related WPI Acc No: 2000-147871; 2000-147872; 2000-182788; 2000-223699; 2003-656977; 2003-707685; 2003-707787; 2003-800109; 2003-842356; 2003-842375; 2003-851225; 2003-862885; 2003-874287; 2003-895560; 2004-030743; 2004-030745; 2004-030745; 2004-030745; 2004-030745; 2004-030745; 2004-030745; 2004-030745; 2004-030745; 2004-03075; 2005-03075; 2005-03075; 2005-03075; 2005-03075; 2005-03075; 2005-03075; 2005-03075; 2005-03075; 2005-03075; 2005-0307

560265; 2004-781939

XRPX Acc No: N2006-483941

Phone card revaluing method for universal interactive advertising and payment system, involves transmitting information relating to user account to universal server for transferring funds between user account and phone card Patent Assignee: USA TECHNOLOGIES INC (USTE-N)

Inventor: KOLLS H B

Patent Family (1 patents, 1 countries)									
Patent Number	Kind	Date	Application Number	Kind	Date	Update T	ype		
US 7089209	В1	20060808	US 199893475	P	19980720	200662 B			
			US 1999293129	A	19990416				
			US 1999293358	Α	19990416				
			US 1999335327	Α	19990617				
			US 2000599078	A	20000622				

Priority Applications (no., kind, date): US 199893475 P 19980720; US 1999293129 A 19990416; US 1999293358 A 19990416; US 1999335327 A 19990617; US 2000599078 A 20000622

# **Alerting Abstract US B1**

NOVELTY - Several transaction data are retrieved and communicated to a universal server having access to user identification information, responsive to detecting that a phone card is inserted into a card reader. The transaction data is processed based on user identification information retrieved based on dynamic identification interchange within universal server to identify user account. An information relating to user account is transmitted to universal server from remote location for transferring funds between user account and phone card.

USE - For universal interactive advertising and payment system used for vending of public access electronic commerce and business related products and services.

ADVANTAGE - An electronic mail (e-mail), electronic commerce (e-commerce) and e-business transactions are conducted efficiently with virtual companies by distributing and displaying interactive advertisements. The billing for the use of vending equipments is also controlled efficiently.

DESCRIPTION OF DRAWINGS - The figure shows a flowchart explaining transaction routing routine.

Title Terms /Index Terms/Additional Words: TELEPHONE; CARD; METHOD; UNIVERSAL; INTERACT; ADVERTISE; PAY; SYSTEM; TRANSMIT; INFORMATION; RELATED; USER; ACCOUNT; SERVE; TRANSFER; **FUND** 

Dialog eLink: Order File History 15/5/3 (Item 3 from file: 350) DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0014583223 Drawing available

WPI Acc no: 2004-765185/200475 XRPX Acc No: N2004-603647

Computer system access controlling method, involves causing identification server to supply profile information to client computer based on user's identity, and obtaining access to computer applications

Patent Assignee: BYRAGANI B Y (BYRA-I); HO C (HOCC-I); SHAH P (SHAH-I); TING D M T (TING-I); IMPRIVATA

INC (IMPR-N)

Inventor: BYRAGANI B Y; HO C; SHAH P; TING D M T

Patent Family ( 2 patents, 1 countries )								
Patent Number	Kind	Date	Application	Number	Kind	Date	Update Ty	ype
US 20040205176	A1	20041014	US 20033950	)43	A	20030321	200475 B	
US 7660880	В2	20100209	US 20033950	)43	Α	20030321	201011 E	

Priority Applications (no., kind, date): US 2003395043 A 20030321

# Alerting Abstract US A1

NOVELTY - The method involves storing profile **information** of a **user** in connection with server-based applications on an identification server communicating with a client over a computer network. The user is identified and the server is caused to supply the **information** to a **client** computer. An access to computer applications is obtained using the **information** on the **client** computer.

DESCRIPTION - An INDEPENDENT CLAIM is also included for a system for controlling access by a user operating a client computer to server-based applications communicating with the client over a computer network.

USE - Used for controlling an access to a computer system.

ADVANTAGE - The method facilitates access to the applications that can easily accommodate an introduction of new computer applications into a large computing environment.

DESCRIPTION OF DRAWINGS - The drawing shows a flow chart of a process to authenticate a user to applications using a client- resident profile and a single-sign-on server.

**Title Terms** /Index Terms/Additional Words: COMPUTER; SYSTEM; ACCESS; CONTROL; METHOD; CAUSE; IDENTIFY; SERVE; SUPPLY; PROFILE; INFORMATION; CLIENT; BASED; USER; OBTAIN; APPLY

**Dialog eLink:** Order File History 15/5/4 (Item 4 from file: 350) DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0014412908 Drawing available WPI Acc no: 2004-602889/200458 XRPX Acc No: N2004-476849

Double-entry bookkeeping implementing method for internet based accounting system, involves creating dummy record set for temporarily balancing record set group for protecting database files from recording single entry

Patent Assignee: LEE H M (LEEH-I)

Inventor: LEE H M

Patent Family (1 patents, 1 countries)							
Patent Number Kind	l Date	Application	Number Kind	Date	<b>Update</b> Type		
US 20040148233 A1	20040729	US 20036863	314 A	20031015	200458 B		

Priority Applications (no., kind, date): HK 2003100701 A 20030128

#### Alerting Abstract US A1

NOVELTY - Depending on features of working pages, one of record set among debit or credit record set is created as subject

'S' and other as object 'O'. Additional transaction data in the same record set is updated and new record set 'O' is created to constitute double entry journal. A dummy record set for temporarily balancing the record set groups is created for protecting database files from recording single entry.

DESCRIPTION - A user interface having data capturer and processor which composes `AR, AP, Rec, Pay, TT, JJ' working pages is created for performing or capturing data transactions. Record set groups with at least two record sets one for recording credit data and another for recording debit data are created automatically after capturing data. One of record sets is created as subject `S' and other as object `O', each of the record sets group comprise only one subject and many number of objects. According to the specific procedures, the amount is posted into debit field or posted into the credit field of each record set. Any additional transaction data in the same set is simultaneously updated and new record set 'O' is created to constitute double entry journal. A dummy record set is created for temporarily balancing the record set groups for protection of database files from recording single entry or disordered journal entries. A new record set `E' is created for recording data resulting from exchange difference derived between the adoption of book rate and transaction rate according to account types involving the record sets S,O. Then, the double entry journal is converted into voucher form, which is fad back to the general purpose computer on real time basis. A double entry journal consisting of record sets group is stored. The record sets comprise identification fields of user's identity and user's business unit, account codes, input amount, currency, the converted amount in local currency. The record sets groups is stored and updated in the from on double entry journal into the designated database file in one stoke immediately after each processing. The identification fields are recognized for the user's access right and limitations set by the program on the usage of database file. Financial reports are sent by analyzing each of journal records on reception of reporting command and user's identity.

USE - For implementing double-entry bookkeeping for internet based accounting system for multinational companies. ADVANTAGE - The dummy record set is automatically deleted by the program to ensure all processed data stored into the database are double entry journals while complying with the total-debit-equal-total-credit rule.

DESCRIPTION OF DRAWINGS - DESCRIPTION OF DRAWING - The figure shows the block diagram explaining mechanism of bookkeeping and accounting information system working in parallel to online web based communications.

Dialog eLink: Order File History 15/5/6 (Item 6 from file: 350) DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0013138454

WPI Acc no: 2003-220733/200321 XRPX Acc No: N2003-176147

Relationship establishment method for automated services, involves storing client billing information and presenting list of services/goods for selection, if client is not registered

Patent Assignee: CLIFTON K A (CLIF-I); HOHENBERGER J L (HOHE-I); TENANT TRACKER INC (TENA-N) Inventor: CLIFTON K A; HOHENBERGER J L

Patent Family (2 patents, 1 countries)								
Patent Number	Kind	Date	Application Number	Kind	Date	Update	Туре	
US 20030004820	A1	20030102	US 2001894599	A	20010627	200321	В	
US 6983044	B2	20060103	US 2001894599	A	20010627	200604	Е	

Priority Applications (no., kind, date): US 2001894599 A 20010627

## Alerting Abstract US A1

NOVELTY - The client is presented with options of services/goods usually selected by the clients, if the client is registered in the client database. If the client does not select the usual services/goods, a separate list is presented for receiving and processing new requests. If the client is not registered, the client billing information is stored and a list of services/goods is presented to the client for selection.

USE - For establishing relationship for providing automated services/goods through telephone or Internet.

ADVANTAGE - The regular clients can be easily identified and new clients can also be quickly register and provided with efficient goods/service transaction.

Title Terms /Index Terms/Additional Words: RELATED; ESTABLISH; METHOD; AUTOMATIC; SERVICE; STORAGE; CLIENT; BILL; INFORMATION; PRESENT; LIST; GOODS; SELECT; REGISTER

**Dialog eLink:** Order File History 15/5/10 (Item 10 from file: 350) DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0012787168 Drawing available WPI Acc no: 2002-642434/200269 Related WPI Acc No: 2002-424574 XRPX Acc No: N2002-507789

(ZHAO-I)

Online career websites querying method for resume management, involves submitting respective query strings formed from filled-in site-specific fields of each career website with mapped user information, to career websites Patent Assignee: INDIVIDUAL SOFTWARE INC (INDI-N); WANG L (WANG-I); WIENS K (WIEN-I); ZHAO Z

Inventor: WANG L; WIENS K; ZHAO Z

Patent Family ( 2 patents, 1 countries )									
Patent Number	Kind	Date	Application Number	Kind	Date	Update	Туре		
US 20020091689	A1	20020711	US 1999146658	P	19990802	200269	В		
			US 2000626428	A	20000727				
			US 200129519	Α	20011221				
US 6757674	В2	20040629	US 200129519	A	20011221	200443	Е		

Priority Applications (no., kind, date): US 1999146658 P 19990802; US 2000626428 A 20000727; US 200129519 A 20011221

## **Alerting Abstract US A1**

NOVELTY - A collected **user information** is mapped to site-specific fields of each career website. The site-specific fields are **automatically filled in** with the mapped information. Respective query strings are formed from the filled in site-specific fields and submitted to the corresponding career websites.

DESCRIPTION - INDEPENDENT CLAIMS are included for the following:

- 1. Computer-readable **recorded** medium storing career websites **querying** program;
- 2. Career websites querying system;
- 3. Job searching method; and
- 4. Automatic user's resume submitting method.

USE - For querying several career websites, used for listing jobs, resume management, for providing personal job search agent, chat and message boards, privacy options, expert advice and carrier management, through single interface. ADVANTAGE - Enables one click searching, and enables entering search criteria specific to each career website for more powerful searching all within one interface.

DESCRIPTION OF DRAWINGS - The figure shows the flowchart explaining the process for allowing users to query multiple career website.

Title Terms /Index Terms/Additional Words: METHOD; RESUME; MANAGEMENT; SUBMIT; RESPECTIVE; QUERY;

STRING; FORMING; FILLED; SITE; SPECIFIC; FIELD; MAP; USER; INFORMATION

**Dialog eLink:** Order File History 15/5/11 (Item 11 from file: 350) DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0012477805 *Drawing available*WPI Acc no: 2002-424574/200245
Related WPI Acc No: 2002-642434
XRPX Acc No: N2002-333767

Multiple career web sites querying method in Internet, involves filling site-specific fields of career web sites with mapped user information and submitting respective query strings to corresponding career web sites

Patent Assignee: INDIVIDUAL SOFTWARE INC (INDI-N)

Inventor: WANG L; WIENS K; ZHAO Z

Patent Family (1 patents, 1 countries)								
Patent Number	Kind	Date	Application Numbe	r Kind	Date	Update Type		
US 6363376	B1	20020326	US 1999146658	P	19990802	200245 B		
			US 2000626428	A	20000727			

Priority Applications (no., kind, date): US 1999146658 P 19990802; US 2000626428 A 20000727

#### **Alerting Abstract US B1**

NOVELTY - The site-specific fields of the career web sites are automatically filled with the mapped **user information**. Respective query strings are formed from filled-in site-specific fields of the career web sites and submitted to the corresponding career web sites.

DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- A. Computer readable medium storing multiple career web sites querying program;
- B. Multiple career website querying system;
- C. Job search method:
- D. Automatic user's resume submission method

USE - For querying multiple career web sites in Internet for job listings, resume management, personal job search agents, chat and message boards, privacy options, expert advice and career management.

ADVANTAGE - The resume application allows a user to search for jobs easily by submitting resumes to multiple career web sites using an interface of resume application.

DESCRIPTION OF DRAWINGS - The figure shows a flowchart explaining multiple career web sites querying method.

**Title Terms** /Index Terms/Additional Words: MULTIPLE; WEB; SITE; METHOD; FILL; SPECIFIC; FIELD; MAP; USER; INFORMATION; SUBMIT; RESPECTIVE; QUERY; STRING; CORRESPOND

**Dialog eLink:** Order File History 15/5/12 (Item 12 from file: 350) DIALOG(R)File 350: Derwent WPIX

(c) 2010 Thomson Reuters. All rights reserved.

0011036266 *Drawing available*WPI Acc no: 2001-662339/200176
XRPX Acc No: N2001-493422

Computer-based job application information obtaining method involves transmitting application information to computer based on prompts from computer connected through the telecommunication link

Patent Assignee: JOB FILES CORP (JOBF-N)

Inventor: OGDEN E W

Patent Family (1 patents, 1 countries)							
Patent Number Kind Date Application Number Kind Date Update Type							
US 6311164	В1	20011030	US 1997736	A	19971230	200176 B	

Priority Applications (no., kind, date): US 1997736 A 19971230

Patent Details								
Patent Number	Kind	Lan	Pgs	Draw	Filing	Notes		
US 6311164	В1	EN	16	5				

### **Alerting Abstract US B1**

NOVELTY - A telecommunication link (122) is provided between an applicant and a computer system and then identity information is transmitted to the computer. A series of prompts are presented to the applicant sequentially, related to a job from the computer. The application **information** is sent by the **applicant** to the computer based on prompts and the received information is stored in memory, such that it is associated with identity information.

DESCRIPTION - An INDEPENDENT CLAIM is also included for computer implemented job application information obtaining apparatus.

USE - For receiving and processing job application **information** from remote **applicants** using telecommunication system. ADVANTAGE - The need for filling written forms or accommodating applicant's schedule to the company or company personnel is avoided. A situation of discouraging the applicant is avoided. Reduces need for preparing application forms and training personal interviewers, time, resource expenditure involved in job **application procedure**. The delay in data entry or processing is reduced and accurate indication of applicant response time is provided. The risk of high qualified applicant of taking another job before interviewing is completely reduced. The system provides other **information** services in addition to the **applicant**.

DESCRIPTION OF DRAWINGS - The figures show the schematic block diagram of job application system and flowchart depicting job application procedure.

122 Telecommunication link

**Title Terms** /Index Terms/Additional Words: COMPUTER; BASED; JOB; APPLY; INFORMATION; OBTAIN; METHOD: TRANSMIT: PROMPT: CONNECT: THROUGH: TELECOMMUNICATION: LINK

18/5/1 (Item 1 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

06621549

Title: Matchmaking for information agents

**Author(s):** Kuokka, D.; Harada, L.

Author Affiliation: Lockheed Palo Alto Res. Lab., CA, USA

Book Title: IJCAI-95. Proceedings of the Fourteenth International Joint Conference on Artificial Intelligence

**Inclusive Page Numbers:** 672-8 vol.1

Publisher: Morgan Kaufmann Publishers, San Mateo, CA

Country of Publication: USA Publication Date: 1995

Conference Title: Proceedings of International Joint Conference on Artificial Intelligence

Conference Date: 20-25 Aug. 1995

Conference Location: Montreal, Que., Canada

Conference Sponsor: Int. Joint Conferences on Artificial Intelligence American Assoc. Artificial Intelligence Canadian

Soc. Computational Studies of Intelligence Soc. Canadienne pour l'etude de l'intelligence par ordinateur

**Editor(s):** Mellish, C.S.

Part: vol.1

**Number of Pages:** 2 vol. (xxx+xiii+2077)

Language: English

**Document Type:** Conference Paper (PA)

**Treatment:** Practical (P)

**Abstract:** Factors such as the massive increase in information available via electronic networks and the advent of virtual distributed workgroups for commerce are placing severe burdens on traditional methods of information sharing and retrieval. Matchmaking proposes an intelligent facilitation agent that accepts machine-readable requests and advertisements from **information consumers** and providers, and determines potential **information** sharing paths. We argue that **matchmaking** permits large **numbers** of **dynamic consumers** and providers, operating on rapidly-changing data, to share information more effectively than via current methods. This paper introduces matchmaking, as enabled by knowledge sharing standards like KQML, and describes the SHADE and COINS matchmaker implementations. The utility and initial results of matchmaking are illustrated via example scenarios in engineering and **consumer information** retrieval ( *16 refs.*)

**Subfile(s):** C (Computing & Control Engineering)

Descriptors: groupware; software agents

Identifiers: information agents; matchmaking; intelligent facilitation agent; information sharing; dynamic consumers;

knowledge sharing standards; KQML; SHADE; COINS; information retrieval

Classification Codes: C6130G (Groupware); C6170 (Expert systems and other AI software and techniques)

INSPEC Update Issue: 1997-026

Copyright: 1997, IEE

18/5/2 (Item 2 from file: 2) DIALOG(R)File 2: INSPEC (c) 2010 The IET. All rights reserved.

## 01727258

Title: Truss influence lines on a time sharing system

Author(s): Fleming, J.F.; Shah, A.P.

Author Affiliation: Univ. Pittsburgh, PA, USA

**Journal:** Computers and Structures, vol.4, no.5, pp.933-50

Country of Publication: UK Publication Date: Oct. 1974

ISSN: 0045-7949 CODEN: CMSTCJ Language: English

**Document Type:** Journal Paper (JP)

**Treatment:** Application (A); Theoretical or Mathematical (T)

**Abstract:** A **computer** program is presented for **finding** influence lines for plane truss **member** forces on a time **sharing** system. The program is **interactive**; requesting **data** from the **user** as needed. The output con consist of either printed influence line ordinates on a printing terminal of plotted influence lines on a graphic terminal (0 refs.)

**Subfile(s):** C (Computing & Control Engineering)

**Descriptors:** engineering applications of computers; stress analysis; time-sharing systems

Identifiers: truss influence lines; time sharing system; computer program; plane truss member forces; interactive; printing

terminal; plotted; graphic terminal

Classification Codes: C7440 (Civil and mechanical engineering computing)

**INSPEC Update Issue:** 1975-002

Copyright: 1975, IEE

25/5/1 (Item 1 from file: 583)

DIALOG(R)File 583: Gale Group Globalbase(TM)

(c) 2002 Gale/Cengage. All rights reserved.

06416488

#### Asia Information launched online information search

HONG KONG: TAILORED INFORMATION HK Economic Times ( XKH ) 14 Jan 1997 p.A10

Language: CHINESE

Hong Kong's Asia Information Co (translated name) will launch a Customised Clipping service in the first quarter of 1997, to help **subscribers** finding their wanted **information** on Internet. **Customers** only indicate what **information** they want, when to receive, how to receive (through email or by fax) and the company's **computer** system will **send** information **automatically**. The company will charge HK\$1 for each successful **search**. Customers also have to pay additional HK\$8 to HK\$200 depending the length and the nature of information they request. \*

**Company:** ASIA INFORMATION CO **Event:** General Management Services (26);

Country: Hong Kong (9HON);

25/5/2 (Item 1 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

08597234

Title: Scalable and dynamic grouping of continual queries

**Author(s):** Khan, S.; Mott, P.L.

Author Affiliation: Sch. of Comput., Univ. of Leeds, UK

Book Title: Advances in Information Systems. Second International Conference, ADVIS 2002. Proceedings (Lecture Notes

in Computer Science Vol.2457)

Inclusive Page Numbers: 31-42

Publisher: Springer-Verlag, Berlin
Country of Publication: Germany

**Publication Date: 2002** 

Conference Title: Advances in Information Systems. Second International Conference, ADVIS 2002. Proceedings

Conference Date: 23-25 Oct. 2002 Conference Location: Izmir, Turkey

Editor(s): Yakhno, T. ISBN: 3 540 00009 7 Number of Pages: xii+436 Language: English

**Document Type:** Conference Paper (PA) **Treatment:** Theoretical or Mathematical (T)

**Abstract:** Continual queries (CQs) allow **users** to receive new **information** as it becomes available. CQ systems need to support a large number of CQs due to the scale of the Internet. One approach to this problem is to group CQs so that they share their computation on the assumption that many CQs have similar structure. Grouping queries optimizes the evaluation of queries by executing common operations in the group of queries just once. However, traditional grouping techniques are not suitable for CQs because their grouping raises new issues. We propose a scalable and dynamic CQ grouping technique. Our grouping strategy is incremental in that it scales to a large number of queries. It also re-groups existing grouped queries dynamically to maintain the effectiveness of groups (19 refs.)

**Subfile(s):** C (Computing & Control Engineering)

Descriptors: distributed databases; Internet; query processing

Identifiers: scalable grouping; dynamic grouping; continual queries; Internet; computation sharing; query grouping;

optimized **query** evaluation; incremental grouping strategy; large **query number Classification Codes:** C6160D (Relational databases); C4250 (Database theory)

**INSPEC Update Issue: 2003-016** 

Copyright: 2003, IEE

25/5/3 (Item 2 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

08431739

Title: Learning new user formulations in automatic directory assistance

Author(s): Popovici, C.; Andorno, M.; Laface, P.; Fissore, L.; Nigra, M.; Vair, C.

Author Affiliation: Politecnico di Torino, Italy

Book Title: 2002 IEEE International Conference on Acoustics, Speech, and Signal Processing. Proceedings (Cat.

No.02CH37334)

Inclusive Page Numbers: I-17-20 vol.1 Publisher: IEEE, Piscataway, NJ Country of Publication: USA Publication Date: 2002

Conference Title: Proceedings of International Conference on Acoustics, Speech and Signal Processing (CASSP'02)

Conference Date: 13-17 May 2002 Conference Location: Orlando, FL, USA Conference Sponsor: IEEE Signal Process. Soc

**ISBN:** 0 7803 7402 9

**U.S. Copyright Clearance Center Code:** 0-7803-7402-9/02/\$17.00

Medium: Also available on CD ROM in PDF format Item Identifier (DOI): 10.1109/ICASSP.2002.1005664

Part: vol.1

Number of Pages: 4 vol.civ+4194

Language: English

**Document Type:** Conference Paper (PA) **Treatment:** Practical (P); Experimental (X)

**Abstract:** Telecom Italia has deployed since the beginning of year 2001 a nationwide automatic directory assistance (DA) system that routinely serves customers asking for residential and business listings. DA for business listings is a challenging task: one of its main problems is that customers formulate their requests for the same listing with a great variability. Since it is difficult to reliably predict a priori the user formulations, in this paper we propose a procedure for detecting, from **field data**, **user** formulations that were not foreseen by the designers. These formulations can be added, as variants, to the denominations already included in the system to reduce its failures. We show that using a large database associating phonetic transcriptions of user utterances with the telephone **number** provided by the **automatic** service, a **completely** unsupervised approach **detects** most of the old formulations. Furthermore, our procedure is able to filter a huge amount of calls routed to the operators, and to detect a limited number of phonetic strings that are good candidates to be included as new formulation variants in the system vocabulary (5 refs.)

**Subfile(s):** B (Electrical & Electronic Engineering); C (Computing & Control Engineering)

**Descriptors:** information retrieval systems; speech processing; speech recognition; telecommunication computing; telephony; very large databases

**Identifiers:** user formulations; automatic directory assistance; Telecom Italia; business listings; large database; phonetic transcriptions; unsupervised approach; **information** filter; phonetic string detection; **user** utterances

Classification Codes: B6130E (Speech recognition and synthesis); B6210D (Telephony); C5260S (Speech processing techniques); C7410F (Communications computing); C1250C (Speech recognition); C7250 (Information storage and retrieval)

**INSPEC Update Issue: 2002-043** 

Copyright: 2002, IEE

25/5/4 (Item 3 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

08042419

Title: Software compression in the client/server environment

**Author(s):** Factor, M.; Sheinwald, D.; Yassour, B.-A. **Author Affiliation:** IBM Res. Lab., Haifa, Israel

**Inclusive Page Numbers: 233-42** 

Publisher: IEEE Comput. Soc, Los Alamitos, CA

Country of Publication: USA Publication Date: 2001

Conference Title: Proceedings DCC 2001. Data Compression Conference

Conference Date: 27-29 March 2001 Conference Location: Snowbird, UT, USA

Conference Sponsor: Brandeis Univ. IEEE Comput. Soc. Tech. Committee on Comput. Commun. (TCCC)

Editor(s): Storer, J.A. Cohn, M.

**ISBN:** 0 7695 1031 0

U.S. Copyright Clearance Center Code: 1068-0314/2001/\$10.00

Item Identifier (DOI): 10.1109/DCC.2001.917154

**Number of Pages:** xii+533

Language: English

**Document Type:** Conference Paper (PA)

**Treatment:** Theoretical or Mathematical (T); Experimental (X)

Abstract: Lempel-Ziv (1977) based compression algorithms are universal, not assuming any prior knowledge of the file to be compressed or its statistics. Accordingly, the reference dictionary of these textual substitution compression algorithms includes only segments of the already-processed portion of the file. It is often the case, though, that both, compressor and decompressor, even when they reside on different sites, share knowledge of files (e.g., devices managed by a server, or software customers holding older releases of products). For such cases, we suggest the addition of shared files to the reference dictionary. Preferably, files to be included are those which resemble the file to be compressed. Such an extension of the reference dictionary lengthens the matches found while compressing the file, and thus lessens the number of matches needed to cover the file. We found that with a careful selection (which can be automated) of the shared files to be included, the advantage of the decrease in the number of matches overwhelms the disadvantage of the increase in the number of bits needed to express the index of each match in the extended dictionary. Altogether, compression attainable by our proposed scheme can be significantly better than with the original Lempel-Ziv dictionary. Maintaining and searching a dictionary that is much larger than the original Lempel-Ziv dictionary demand strong computational resources and suits off-line more than on-line compression. We thus conclude that in the client/server environment, where shared files commonly exist, and the server enjoys extensive computational resources, the scheme suggested is advantageous for transferring files from the server to its clients (7 refs.)

Subfile(s): B (Electrical & Electronic Engineering); C (Computing & Control Engineering)

Descriptors: client-server systems; computer communications software; data compression

**Identifiers:** software compression; client/server environment; Lempel-Ziv based compression algorithms; reference dictionary; textual substitution compression algorithms; compressor; decompressor; shared files; file compression; extended dictionary; Lempel-Ziv dictionary; off-line compression

Classification Codes: B6210L (Computer communications); B6140 (Signal processing and detection); C5620 (Computer networks and techniques); C6130 (Data handling techniques); C6155 (Computer communications software); C5260 (Digital signal processing)

**INSPEC Update Issue: 2001-037** 

Copyright: 2001, IEE

25/5/5 (Item 4 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

#### 07497923

Title: A new high-speed burst transfer architecture DBTN: dynamic burst transfer time-slot-base network

Author(s): Shiomoto, K.; Yamanaka, N.

Author Affiliation: NTT Network Service Syst. Labs., Musashino, Japan

Book Title: Proceedings Eight International Conference on Computer Communications and Networks (Cat. No.99EX370)

Inclusive Page Numbers: 161-6
Publisher: IEEE, Piscataway, NJ
Country of Publication: USA
Publication Date: 1999

Conference Title: Proceedings of IC3N'99: Eighth International Conference on Computer Communications and Networks

Conference Date: 11-13 Oct. 1999 Conference Location: Boston, MA, USA

Conference Sponsor: Army Res. Lab. Nokia IEEE Commun. Soc

Editor(s): Dixit, S. Somani, A. Park, E.

**ISBN:** 0 7803 5794 9

**U.S. Copyright Clearance Center Code:** 0 7803 5794 9/99/\$10.00

Item Identifier (DOI): 10.1109/ICCCN.1999.805511

**Number of Pages:** xix+661

Language: English

**Document Type:** Conference Paper (PA) **Treatment:** Theoretical or Mathematical (T)

**Abstract:** This paper proposes a new high-speed network architecture DBTN ( **dynamic** burst **transfer** time-slot-base network), which is based on circuit-switched network technology. A routing tag is attached to a burst at an ingress edge node and the burst is self-routed in a DBTN network by creating a circuit **dynamically**. The routing tag, which is called time-slots-relay, is a series of link **identifiers** to the destination. The time-slots-relay consists of link identifiers from the ingress to the egress nodes and is used to create the circuit. Subsequent data is switched over the circuit being created in an **on**-the-**fly** fashion. A link **identifier** in the time-slots-relay is unique within each node. Each link identifier is loaded into address control memory (ACM) of each circuit-switched transit node, and the circuit to the destination is established. Subsequent **user data** follows **immediately** after the time-slots-**relay** and is sent over the established circuit. Thus short-lived fairly large data transfers like WWW traffic are efficiently carried. A circuit between adjacent nodes is created and released dynamically so bandwidth efficiency is improved compared with conventional circuit-switched networks. Time division multiplexing of the circuit-switched network is utilized so there is no delay jitter or loss. We address the performance of DBTN switches and report on the implementation of the system (15 refs.)

Subfile(s): B (Electrical & Electronic Engineering); C (Computing & Control Engineering)

**Descriptors:** circuit switching; data communication; information resources; Internet; telecommunication control; telecommunication network routing; telecommunication traffic

**Identifiers:** high-speed burst **transfer** architecture; DBTN; **dynamic** burst **transfer** time-slot-base network; circuit-switched network; routing tag; edge node; self-routing; time-slots-relay; link identifiers; address control memory; WWW traffic; data transfers; bandwidth efficiency; time division multiplexing; performance

Classification Codes: B6210L (Computer communications); B6150P (Communication network design, planning and routing); B6150C (Communication switching); C5620W (Other computer networks)

**INSPEC Update Issue: 2000-006** 

Copyright: 2000, IEE

25/5/6 (Item 5 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

# 07386323

Title: Dynamic burst transfer time-slot-base network

Author(s): Shiomoto, K.; Yamanaka, N.

Author Affiliation: NTT Network Service Syst. Labs., Japan

**Journal:** IEEE Communications Magazine, vol.37, no.10, pp.88-96

Publisher: IEEE

Country of Publication: USA Publication Date: Oct. 1999

ISSN: 0163-6804

SICI: 0163-6804(199910)37:10L.88:DBTT;1-1

**CODEN:** ICOMD9

U.S. Copyright Clearance Center Code: 0163-6804/99/\$10.00

**Item Identifier (DOI):** 10.1109/35.795595

Language: English

Document Type: Journal Paper (JP)

**Treatment:** Application (A); New Development (N); Practical (P); Experimental (X)

Abstract: This article proposes a new high-speed network architecture called **dynamic** burst **transfer** time-slot-base network (DBTN). The DBTN network is based on circuit-switched network technology. A routing tag is attached to a burst at an ingress edge node and the burst is self-routed in a DBTN network, the circuit of which is created dynamically by the routing tag. The routing tag, which is called time-slots-relay, consists of link identifiers from the ingress to the egress nodes and is used to create the circuit. Subsequent data is switched over the circuit being created in an **on**-the-**fly** fashion. Each link **identifier** is loaded into the address control memory (ACM) of each circuit switching node, and thereby the circuit to the destination is created dynamically. Subsequent **user data** follows **immediately** after the time-slots- **relay** and is sent over the established circuit. Thus short-lived fairly large data transfers such as WWW traffic are efficiently carried. A circuit between adjacent nodes is created and released dynamically so bandwidth efficiency is improved compared with conventional circuit-switched networks. Time division multiplexing of the circuit-switched network is utilized so there is no delay jitter or loss within a burst. We address the performance of DBTN switches and report the experimental system ( 10 refs.)

**Subfile(s):** B (Electrical & Electronic Engineering)

**Descriptors:** circuit switching; data communication; information resources; telecommunication network routing; telecommunication traffic

**Identifiers:** circuit-switched network technology; routing tag; high-speed network architecture; **dynamic** burst **transfer** time-slot-base network; ingress edge node; self-routed burst; time-slots-relay; link identifiers; egress nodes; address control memory; circuit switching node; **user data**; WWW traffic; bandwidth efficiency; time division multiplexing; DBTN switches; experimental system

Classification Codes: B6150C (Communication switching); B6150P (Communication network design, planning and

routing)

**INSPEC Update Issue:** 1999-042

Copyright: 1999, IEE

25/5/7 (Item 6 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

06348615

Title: Integrating information via matchmaking

Author(s): Huokka, D.; Harada, L.

Author Affiliation: Lockheed Palo Alto Res. Lab., CA, USA

Journal: Journal of Intelligent Information Systems: Integrating Artificial Intelligence and Database Technologies, vol.6,

no.2-3, pp.261-79

**Publisher:** Kluwer Academic Publishers Country of Publication: Netherlands **Publication Date:** June 1996

**ISSN:** 0925-9902

SICI: 0925-9902(199606)6:2/3L.261:IIM;1-R

CODEN: JIISEH

U.S. Copyright Clearance Center Code: 0925-9902/96/\$8.50

Language: English

**Document Type:** Journal Paper (JP)

**Treatment:** Practical (P)

**Abstract:** Trends such as the massive increase in information available via electronic networks, the use of on-line product data by distributed concurrent engineering teams, and dynamic supply chain integration for electronic commerce are placing severe burdens on traditional methods of information sharing and retrieval. Sources of information are far too numerous and dynamic to be found via traditional **information** retrieval methods, and potential **consumers** are seeing increased need for automatic notification services. Matchmaking is an approach based on emerging information integration technologies whereby potential producers and **consumers** of **information** send messages describing their information capabilities and needs. These descriptions, represented in rich, machine-interpretable description languages, are unified by the matchmaker to identify potential matches. Based on the matches, a variety of information brokering services are performed. We introduce **matchmaking**, and argue that it permits large **numbers** of **dynamic** consumers and providers, operating on rapidly-changing data, to share information more effectively than via traditional methods. Two matchmakers are described, the SHADE matchmaker, which operates over logic-based and structured text languages, and the COINS matchmaker, which operates over free text. These matchmakers have been used for a variety of applications, most significantly, in the domains of engineering and electronic commerce. We describe our experiences with the SHADE and COINS matchmaker, and we outline the major observed benefits and problems of matchmaking (19 refs.)

Subfile(s): C (Computing & Control Engineering); E (Mechanical & Production Engineering)

**Descriptors:** business data processing; concurrent engineering; information needs; information networks; information retrieval

**Identifiers:** information integration; matchmaking; electronic networks; on-line product data; distributed concurrent engineering teams; dynamic supply chain integration; electronic commerce; information sharing; information retrieval; information sources; **automatic** notification services; information capabilities; information needs; message sending; machine-interpretable description languages; **information** brokering services; dynamic **information consumers**; dynamic **information** providers; rapidly-changing **data**; SHADE matchmaker; COINS matchmaker

Classification Codes: C7220 (Generation, dissemination, and use of information); C7210 (Information services and centres); C7250 (Information storage and retrieval); C7190 (Other fields of business and administrative computing); E0410F (Business applications of IT)

**INSPEC Update Issue:** 1996-033

Copyright: 1996, IEE

25/5/8 (Item 7 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

#### 05595529

Title: An artificially intelligent-human interface for test/diagnosis

Author(s): Kirkland, L.V.

Author Affiliation: OO-ALC/TISA, Hill AFB, UT, USA

Inclusive Page Numbers: 335-7 Publisher: IEEE, New York, NY Country of Publication: USA Publication Date: 1992

Conference Title: Conference Record AUTOTESTCON '92. The IEEE Systems Readiness Technology Conference (Cat.

No.92CH3148-4)

Conference Date: 21-24 Sept. 1992 Conference Location: Dayton, OH, USA

**Conference Sponsor:** IEEE **ISBN:** 0 7803 0643 0

Item Identifier (DOI): 10.1109/AUTEST.1992.270092

**Number of Pages:** xxx+463

Language: English

**Document Type:** Conference Paper (PA)

**Treatment:** Practical (P)

**Abstract:** The author discusses artificial intelligence (AI) applications for the human interface of the test/diagnosis environment. The human interface can contain speech recognition, understanding, and response and visual perception of the test environment. The areas of focus for the human interface are described. The intelligent diagnostic functions available at

the human interface provide **complete automated** test/diagnostic data entry and evaluation to the human. The human interface of the AI system is a multimedia environment. The integrated AI system promises to facilitate ease in long term support. This is accomplished by moving the **information** domain into a **user**-oriented configuration. What specifically happened to a unit when it failed will determine the repair action. Expert know-how will reside in a usable knowledge sharing domain. Arbitrary testing-diagnosing philosophies will no longer exist. Only the part(s) which is defective will be tested and repaired (2 refs.)

Subfile(s): B (Electrical & Electronic Engineering); C (Computing & Control Engineering)

**Descriptors:** artificial intelligence; **automatic** test equipment; **computer** vision; knowledge based systems; speech **recognition**; user interfaces

**Identifiers:** hypermedia; artificially intelligent-human interface; test/diagnosis; speech recognition; understanding; response; visual perception; AI; multimedia environment; user-oriented configuration; repair; knowledge sharing domain **Classification Codes:** B7210B (Computerised instrumentation); C7410H (Computerised instrumentation); C6170 (Expert systems and other AI software and techniques); C1230 (Artificial intelligence); C5260B (Computer vision and image processing techniques); C6180 (User interfaces)

INSPEC Update Issue: 1994-004

Copyright: 1994, IEE

25/5/9 (Item 8 from file: 2) DIALOG(R)File 2: INSPEC (c) 2010 The IET. All rights reserved.

05406702

Title: Dynamic knowledge nets in a changing building process

Author(s): Christiansson, P.

**Author Affiliation:** Lund Inst. of Technol., Lund Univ., Sweden **Journal:** Automation in Construction, vol.1, no.4, pp.307-22

Country of Publication: Netherlands Publication Date: March 1993

ISSN: 0926-5805 CODEN: AUCOES Language: English

**Document Type:** Journal Paper (JP)

**Treatment:** Practical (P)

Abstract: Hypotheses and explanation models are put forward about the future global structure, manipulation and transfer of knowledge. The so called dynamic knowledge nets, DKN, are defined and used to explain changes for the next generation of computerized communication and knowledge handling systems. More and more powerful tools become available to model and visualize different parts of our reality. These tools will influence possibilities to create useful models and will also have a great impact on how these models are integrated and accessed. Behind the interfaces dwell more and more capable integrated knowledge representations which are closely related to pertinent search strategies. It is possible in a changing building process to create models which bring about a clearer and more obvious connection between the applications, our intentions and the computer stored models. The systems being formulated today may thus provide dramatically better communication tools as communication rooms, personal 'telescreens', and virtual realities. New tools for building, using and maintaining the next generation systems have been and are continuously created and tested at the KBS-MEDIA LAB (knowledge based systems-media) at Lund University. Examples of ongoing research are material and vendor information and building maintenance systems as well as decision support at the building site. These systems can be described as multi agent environments with multimedia context dependent user interfaces to underlying facts bases ( 18 refs.)

**Subfile(s):** C (Computing & Control Engineering)

**Descriptors:** building; civil engineering computing; knowledge based systems; multimedia systems; technological forecasting; virtual reality

**Identifiers:** explanation models; future global structure; **dynamic** knowledge nets; DKN; computerized communication; knowledge handling systems; useful models; integrated knowledge representations; pertinent **search** strategies; changing building process; **computer** stored models; communication tools; communication rooms; telescreens; virtual realities; next generation systems; KBS-MEDIA LAB; knowledge based systems-media; vendor information; building maintenance systems; decision support; multi agent environments; multimedia context dependent **user** interfaces; underlying **facts** bases

Classification Codes: C7440 (Civil and mechanical engineering computing); C6170 (Expert systems and other AI software

and techniques); C6160Z (Other DBMS); C6180 (User interfaces)

**INSPEC Update Issue:** 1993-019

Copyright: 1993, IEE

25/5/10 (Item 9 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

05082311

Title: The practice management workstation: providing incentive across subgroups of users

Author(s): Rabold, J.S.; Baysden, G.S.; Blunden, P.S.; Califf, R.M.; Fang, W.C.; Hammond, W.E.; Pryor, D.B.; Stead,

W.W.

Author Affiliation: Duke Univ. Med. Center, Durham, NC, USA

**Inclusive Page Numbers:** 760-3

Publisher: IEEE Comput. Soc. Press, Los Alamitos, CA

Country of Publication: USA Publication Date: 1990

Conference Title: Fourteenth Annual Symposium on Computer Applications in Medical Care. Standards in Medical

Informatics. A Conference of the American Medical Informatics Association

Conference Date: 4-7 Nov. 1990

Conference Location: Washington, DC, USA

Conference Sponsor: IEEE Editor(s): Miller, R.A. ISBN: 0 8186 2106 0

**U.S. Copyright Clearance Center Code:** 0195-4210/90/0000/0760\$01.00

**Number of Pages:** xxv+1084

Language: English

**Document Type:** Conference Paper (PA)

**Treatment:** Practical (P)

**Abstract:** One goal of integrated academic information management systems (IAIMS) is to provide a single source to information that is required to perform a task. The design of a function that integrates data from several sources is complicated because each **person** who is responsible for entering **information** into the shared resource must realize a benefit from the system in return for their participation. The implementation of an **automated** inpatient list as part of a practice management **workstation** demonstrated the importance of **identifying** a specific incentive for each subgroup of users in order to encourage the cooperation which benefits the total user community (6 refs.)

**Subfile(s):** C (Computing & Control Engineering)

**Descriptors:** executive workstations; medical administrative data processing

Identifiers: user subgroups; practice management workstation; incentive; integrated academic information management

systems; shared resource; automated inpatient list; cooperation; user community

Classification Codes: C7140 (Medical administration); C5540 (Terminals and graphic displays)

**INSPEC Update Issue:** 1992-010

Copyright: 1992, IEE

25/5/11 (Item 10 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

02159372

Title: Structure and implementation of a relational query language for the problem solver

Author(s): Antonacci, F.; Dell'Orco, P.; Spadavecchia, V.N.; Turtur, A.

Author Affiliation: IBM Sci. Center, Bari, Italy

Inclusive Page Numbers: 351-8
Publisher: IEEE, New York, NY
Country of Publication: USA
Publication Date: 1977

Conference Title: Proceedings on very large data bases

Conference Date: 6-8 Oct. 1977 Conference Location: Tokyo, Japan Conference Sponsor: ACM IEEE

Number of Pages: 570 Language: English

**Document Type:** Conference Paper (PA)

**Treatment:** Practical (P)

**Abstract:** AQL is a relational **query** language intended for use by the non **computer** specialist for **interactive** problem solving. It combines relational capabilities with the powerful computational facilities and control structures of the host programming language. A prototype version of AQL, that has been implemented, is reviewed. The relational memory system has been designed to minimize the data access operations necessary to process queries. The interpreter has a user friendly interface which allows the use of default options, synonyms and definitions for the domain names, inference, and a menu facility for **interactive completion** of the query (14 refs.)

**Subfile(s):** C (Computing & Control Engineering)

Descriptors: database management systems; problem oriented languages

Identifiers: implementation; relational query language; problem solver; AQL; non computer specialist; interactive

problem solving; data access operations; user friendly interface

Classification Codes: C6120 (File organisation); C6140D (High level languages)

**INSPEC Update Issue:** 1978-003

Copyright: 1978, IEE

25/5/12 (Item 11 from file: 2) DIALOG(R)File 2: INSPEC

(c) 2010 The IET. All rights reserved.

01641660

Title: Automatic interrogation of varying call numbers [in telephone exchanges]

Author(s): Kailing, A.

**Journal:** Fernmelde-Praxis, vol.51, no.4, pp.139-63

**Country of Publication:** West Germany

Publication Date: 25 Feb. 1974

ISSN: 0015-0118 CODEN: FEPXAP Language: German

**Document Type:** Journal Paper (JP)

**Treatment:** Application (A)

**Abstract:** The author gives a block diagram of an **automatic** telephone exchange system for extension **number** interrogation. The rack mounting panel illustrated includes an **identifier**, call searcher, switching units, extension tester and extension switching relays. A description and illustration of the coupling units are included. Operation of the data processing section is performed by a Siemens 4004/45 with a core capacity of 512 kBytes and a cycle time of 0.96 muS for 2 Bytes. A block diagram shows the functioning of the program ANRUF assisted by multi- **user** operating system ASMUS and **data**-bank-system SESAM

**Subfile(s):** B (Electrical & Electronic Engineering); C (Computing & Control Engineering)

**Descriptors:** automatic telephone systems; communications applications of computers; communications applications of control; control engineering applications of computers; telephone exchanges

**Identifiers: automatic** interrogation; varying call **numbers**; telephone exchanges; extension **number** interrogation; call **searcher**; switching units; extension tester; extension switching **relays**; **automatic** telephone systems; ANRUF program; data bank system SESAM

Classification Codes: B6230B (Electronic switching systems and exchanges); C3370C (Control applications in telephony);

C7410F (Communications computing); C7420 ( Control engineering computing)

**INSPEC Update Issue:** 1974-005

Copyright: 1974, IEE

25/5/13 (Item 12 from file: 2) DIALOG(R)File 2: INSPEC (c) 2010 The IET. All rights reserved.

01574178

Title: SOLAR: A storage and on-line automatic retrieval system

Author(s): Mitchell, P.C.; Rickman, J.T.; Walden, W.E. Author Affiliation: US Dept. Justice, Washington, D.C., USA

**Journal:** Journal of the American Society for Information Sciences, vol.24, no.5, pp.347-58

Country of Publication: USA Publication Date: Sept.-Oct. 1973

ISSN: 0002-8231 CODEN: AISJB6 Language: English

Document Type: Journal Paper (JP)

**Treatment:** Practical (P)

**Abstract:** SOLAR is an interactive storage and on-line automatic retrieval system which is operational at Washington State University. It can run continuously with virtually any mix of tasks in a general purpose computing environment. **Complete** document abstracts may be **interactively** reviewed on-line or printed off-line at the **searcher**'s request. SOLAR

**simultaneously** supports up to 37 **data** bases and multiple **users** in an **interactive search** environment without a dedicated **computer** or even a large dedicated region of core (22 refs.)

**Subfile(s):** C (Computing & Control Engineering)

**Descriptors:** information retrieval systems; information storage

Identifiers: SOLAR; storage; automatic retrieval system; general purpose computing environment; document abstracts;

online

**Classification Codes:** C7250 (Information storage and retrieval)

**INSPEC Update Issue:** 1973-010

Copyright: 1973, IEE

# V. Additional Resources Searched

Financial Times FullText (via ProQuest): No relevant results.

Internet & Personal Computing Abstracts (via EBSCOhost): No relevant results.